

A new *Phytophthora* fruit and heart rot of coconut

by J.Y. Uchida, J.J. Ooka, N.M. Nagata, C.Y. Kadooka

In the 1970s, a serious disease of coconut trees was found on Kauai. Infected trees usually died within a year. During the 1980s, the disease was also found on Oahu, Maui, and Hawaii.

This document, based on research by CTAHR plant pathologists, describes the disease symptoms and its causal organism and suggests strategies for its control. 8 pages, 21 color photographs, soft cover, Research Extension Series 138, 1992, reprinted 1997

ORDER FORM

Individual order (1–9 copies): Quantity _____ x \$5

Bulk order (sold only in sets of 10 copies): _____ x \$30

Shipping and handling:

To a U.S. Zipcode, \$1 for 1–2 books; add \$0.50 for each additional book; \$4 for bulk order (10 copies); inquire for rate for larger orders.

Outside the USA: \$9 for 1–10 books (global priority mail); inquire for rate for larger orders.

Please send RES 138 to:

Your Name _____

Company _____

Address _____

City _____ State _____ Zip _____

Country _____

Phone _____ E-mail _____

Subtotal for books \$ _____

Shipping + handling \$ _____

Total enclosed (\$US) \$ _____

Do not send cash; send check or money order only, payable to RCUH, to:

CTAHR Publications and Information Office
3050 Maile Way, Gilmore Hall 119
Honolulu, HI 96822 USA

Phone (808) 956-7036, fax (808) 956-5966

E-mail: ctahrpub@hawaii.edu

Visit our Web site for other informative publications:

www2.ctahr.hawaii.edu



CTAHR

College of Tropical Agriculture & Human Resources
University of Hawaii at Manoa