

Table 1. Alternative host plants of *Hypothenemus hampei*.

Specific name	Family	Reference	Reproduction reported	Feeding only reported
<i>Coffea canephora</i> Pierre ex Fröhner	Rubiaceae	¹ , Le Pelley, 1968 Various authors	•	•
<i>C. arabica</i> L.	Rubiaceae			
<i>C. dewevrei</i>	Rubiaceae			
<i>C. dybowski</i>	Rubiaceae			
<i>C. excelsa</i>	Rubiaceae			
<i>C. liberica</i> W. Bull ex Hiern	Rubiaceae			
<i>Ixora</i> sp.	Rubiaceae	1	•	•
<i>Psychotria luconiensis</i> (Cham. & Schitdl.)	Rubiaceae	1	•	•
<i>Oxyanthus</i> sp.	Rubiaceae	³ , Decazy, 1990	•	•
<i>Cleome rutidosperma</i> DC.	Capparidaceae	1		•
<i>Passiflora foetida</i> L.	Passifloraceae	1		•
<i>Rubus rosaeflorus</i> Hook.	Rosaceae	1		•
<i>Rubus</i> sp.		3		•
<i>Eriobotrya japonica</i> (Thunb.)	Rosaceae	Urbina, 1987		
<i>Zea mays</i> L.	Poaceae	Urbina, 1987	•	
<i>Cola</i> sp.	Sterculiaceae	Friederichs, 1922		
<i>Ricinus</i> sp.	Euphorbiaceae	Urbina, 1987		•
<i>Hibiscus</i> sp.	Malvaceae	³		•
<i>Gossypium hirsutum</i> L.	Malvaceae	Urbina, 1987		
<i>Dioscorea</i> sp.	Dioscoreaceae	1	•	
<i>Operculina turpethum</i> (L.)	Convolvulaceae	1		•
<i>Ligustrum pubinerve</i>	Oleaceae	1		•
<i>Vitis lanceolaria</i> (Roxb.) Wall.	Vitaceae	³		•
<i>Dialium</i> sp.	Fabaceae	Le Pelley, 1968	•	
<i>Dialium lacourtianum</i> De Wild ex Vermoesen		Decazy, 1990	•	
<i>Caesalpinia pulcherrima</i> (L.) Sw.	Fabaceae	^{1,3}		•
<i>Cassia occidentalis</i> L.	Fabaceae	1		•
<i>Gliricidia sepium</i> (Jacq.)	Fabaceae	1	•	•
<i>Crotalaria juncea</i> L.	Fabaceae	^{1,3}		•
<i>Centrosema plumieri</i> (Pers.) Benth.	Fabaceae	³		•
<i>C. pubescens</i> Benth.		1		
<i>Pisum sativum</i> L.	Fabaceae	Urbina, 1987		
<i>Phaseolus lunatus</i> L.	Fabaceae	^{1,3}		•
<i>Cajanus cajan</i> (L.) Millsp.	Fabaceae	Campos, 1991	•	
<i>Tephrosia candida</i> DC.	Fabaceae	³		•
<i>Abrus precatorius</i> L.	Fabaceae	1		•
<i>Calapogonium mucunoides</i> Desv.	Fabaceae	1		•
<i>Pueraria phaseoloides</i> (Roxb.) Benth.	Fabaceae	1		•
<i>Arachis hypogaea</i> L.	Fabaceae	Urbina, 1987		
<i>Leucaena leucocephala</i> (Lam.)	Fabaceae	^{1,3}	•	•
<i>L. glauca</i> De Wit				
<i>Acacia ingrata</i> Benth.	Fabaceae	1		•
<i>Acacia decurrens</i> Willd.		Urbina, 1987		
<i>Mimosa pudica</i> L.	Fabaceae	1		•

Taken from ¹Morallo-Rejesus & Baldos, 1980; ²Johannesson & Mansingh, 1984;

³Waterhouse & Norris, 1989.

Modified from: "A review of the biology and control of the coffee berry borer, *Hypothenemus hampei* (Coleoptera: Scolytidae)," by A. Damon, 2000, Bulletin of Entomological Research, Volume 90, Issue 6, p. 457. Copyright 2007 by Cambridge Journals. Reprinted with permission.