

Synthesis of a Theoretical Framework for Understanding Factors that Catalyse and Influence Household Adoption of Rainwater Harvesting

American Rainwater Catchment Systems Association Conference

Hawaii 14-17 August 2007

•
Ian White

CRC for Water Quality and Treatment, Griffith University, Australia

Ian White, ARCSA 2007, Hawaii



Background




FIGURE 1: South-East Queensland Local Government Area Divisions
Source: Australian Bureau of Statistics (2003) 1387.3

- Regional growth
- Supply limitations
- 'Green drought'
- Governance environment
- RH penetration
- Research questions
- Research aims



Ecological modernisation theory

- Huber (1985) 'direct effects' of PE technological innovation decoupling economic development from environmental degradation
- Janicke (1988) contextualised pro-environmental innovation with 'indirect effects' of public sector governance and policy reform
- Spaargaren and van Vliet (2000) 'close the loop' by recognising the wider social community and the role of consumption






FIGURE 2: Triple Bottom Line Components for the Australian Water Industry (Source: Schneider, Davison, Langdon, Freeman, Essery, Beatty and Toop, 2003)



Diffusion of innovation theory

- “A slow advance in the beginning, followed by a rapid and uniformly accelerated progress, followed again by progress that continues to slacken until it finally stops: These are the three ages of ... invention.... If taken as a guide by the statisticians and sociologists, [it] would save many illusions.” (Tarde: 1903,127).
- Focus on Characteristics of the Innovation
- These five factors have been “widely used for the past twenty years” and in a meta-analysis of DI studies explain “47% to 87% of the variance” in adoption (Rogers 1983: 211).
- Despite a claim they are conceptually distinct, Rogers concedes: “Each of these moderators is somewhat empirically related with the other four” (Rogers 1983: 211) ...
- “As yet, there has been very little diffusion research designed to determine the relative contributions of each of the five types of variables” (Rogers 1983: 234).




Theoretical synthesis

Moderators derived from EM

- PE technological innovation
- RH system sophistication
- PE governance and policy
- Cost and economy
- Voluntariness
- Household independence
- Community norms and values

Moderators derived from DI

- Relative advantages of RH
- RH system ease of use
- Past RH experiences
- Image or status
- Compatibility
- Visibility
- Demonstrable benefit



Methodology

- Data collection decisions
- Sampling

Rainwater Harvesting System


No RH System present
RH System retrofitted by current occupants
RH System fitted before purchase by current occupants

Local Government Area (LGA)

Beaudesert
Brisbane
Ipswich
Redcliffe
Toowoomba

X

- Data analysis



Acknowledgments


CRC for Water Quality and Treatment
Griffith University

Associate Professor Heather Chapman,
Program Leader, CRC for Water Quality and Treatment, Sustainable Water
Sources Program

Dr Peter Daniels,
Principal Supervisor, Griffith University

Professor Roy Rickson,
Associate Supervisor, Griffith University

Mr Ted Gardner,
Associate Supervisor, Principal Scientist, Queensland Government Department of
Natural Resources and Water



Ian White, ARCSA 2007, Hawaii

