

**Effects of Nutritional Factors
on Chemical and Soil
Microbiostasis**

Wen-hsiung Ko

Research Series 012

Table of Contents

	Page
Abstract	1
I. Microbiostasis Induced	
by Chemicals (Table 1)	1
II. Microbiostasis Induced	
by Natural Soil	2
A. Soil Fungistasis (Table 2).....	2
B. Soil Actinostasis (Table 3).....	2
C. Soil Bacteriostasis (Table 4).....	3
III. Comparison of Microbiostasis	
Induced by Chemicals and	
Natural Soil.....	3
Table 1	4
Table 2	25
Table 3	41
Table 4	42
References.....	44

ACKNOWLEDGMENT

This study was supported in part by a grant from the McIntire-Stennis Cooperative Forestry Research Program. I thank Mr. Tsai-young Chuang for assistance.

AUTHOR

Wen-hsiung Ko is Professor, Department of Plant Pathology, University of Hawaii, Beaumont Agriculture Research Center, Hilo, Hawaii 96720.

EFFECTS OF NUTRITIONAL FACTORS ON CHEMICAL AND SOIL MICROBIOSTASIS

Wen-hsiung Ko

ABSTRACT

The majority of reports concerning the effects of nutritional factors on inhibition of microorganisms dealt with the inactivation of antimicrobial agents, and only a few cases of enhancement of antimicrobial activity of chemicals by nutrients were documented. The effects of nutritional factors on fungistasis was most extensively studied among the three types of soil microbiostasis, followed by bacteriostasis and antinostasis. Agar, sulfur-containing amino acids, vitamins, and mineral salts which are very effective in inactivating considerable numbers of antimicrobial agents are, in general, ineffective in annulment of soil microbiostasis. These differences suggest that soil microbiostasis is not due to chemical inhibition.

Key Words: carbohydrates, fungistasis, lipids, nucleic acids, proteins.

I. MICROBIOSTASIS INDUCED BY CHEMICALS (TABLE 1)

The effects of nutritional factors on inhibition of microorganisms by chemicals was reported as early as 1913 (145). However, most information on this subject has been obtained since 1940. The great majority of reports dealt with the inactivation of antimicrobial agents, and only a few cases of enhancement of antimicrobial activity of chemicals by nutrients were documented. Comparisons of antimicrobial activity of chemicals in the presence or absence of a nutritional factor have been made by measuring (1) spore germination or mycelial growth of fungi (33,309); (2) minimum inhibitory concentration (229,256); (3) effective dose for 50 percent response (ED₅₀) (53,137); (4) cell growth of bacteria (21,81,208,296, 298); (5) viability of fungal spores (263) and (6) oxygen consumption (14,306). Mechanisms by which nutritional factors affect microbiostasis induced by chemicals have been reviewed (77,95,181,286).

In Table 1, the nutritional factors which are capable of inactivating antimicrobial agents are divided into eight major groups:

1. *Carbohydrates and related compounds.* This group includes monosaccharides, oligosaccharides, polysaccharides, sugar acids, and sugar alcohols.
2. *Proteins and related compounds.* This group includes amino acids, derivatives of amino acids, peptides, proteins, and enzymes.
3. *Nucleic acids and related compounds.* This group includes purines, pyrimidines, nucleosides, nucleotides, and nucleic acids.
4. *Lipids and related compounds.* This group includes fatty acids, phospholipids, and steroids.
5. *Vitamins and related compounds.*
6. *Mineral salts.*
7. *Miscellaneous compounds.*
8. *Mixtures and complex substances.* In this group, the most commonly used substances are casamino acids, yeast extracts, and serum.

Some of the nutritional factors were listed in groups because of their similarities in chemical structure and function. When more than three microorganisms were used in the same tests, only the numbers of microorganisms were indicated. Therefore, interested readers are urged to consult the original references for detailed information.

II. MICROBIOSTASIS INDUCED BY NATURAL SOIL

Microorganisms including fungi, actinomycetes, and bacteria remain quiescent or decrease in number when they are introduced into natural soil (127,133). Such microbiostasis is a general phenomenon of natural soil (133).

Tables 2-4 list the nutritional factors that are capable of decreasing or increasing soil microbiostasis, and also the microorganisms tested. Those nutrients shown to be ineffective are also included. The grouping of nutritional factors in these tables is the same as that in Table 1.

A. Soil Fungistasis (Table 2)

Although inability of fungi to multiply when added to soil was reported by Katznelson in 1940 (127), intensive research on soil fungistasis started only after the report by Dobbs and Hinson in 1953 (46). In microbiostasis of soil, fungistasis has been investigated most extensively, far more than have actinostasis and bacteriostasis. This probably is because most soil-borne plant diseases are caused by fungi, which are the largest in size among the three groups of microorganisms and, therefore, are the easiest to study.

Techniques for assaying the influence of soil on germination of fungal propagules have been reviewed recently (160). To study the effect of nutritional factors on soil fungistasis, nutrients are usually

added to soil directly, or to agar discs placed on soil or above soil (soil emanation), or, less frequently, added to soil extracts. Since inhibition of spore germination of most fungi in soil is complete, enhancement of fungistasis by nutrients is difficult to detect unless insensitive fungi are used, or soils are made less fungistatic to provide partial germination of the test fungi. This, apparently, is one of the reasons why only very few examples of fungistasis enhancement by nutrients have been reported (Table 2). Mechanisms concerning annulment of soil fungistasis by nutrients have been reviewed recently by Lockwood (160).

B. Soil Actinostasis (Table 3)

Very few research works concerning inhibition of actinomycetes in soil have been reported even though it was noted as early as 1940 by Katznelson (127) that actinomycetes introduced into soil did not increase in number. For studying the effect of nutritional factors on actinostasis, nutrients were added to soil directly or to agar discs placed on soil. Percentage of spore germination (159) or number of propagules (127) in soil, or colony size (30) in agar discs was measured after incubation.

C. Soil Bacteriostasis (Table 4)

In 1909, Russell and Hutchinson (220) reported that the number of bacteria per gram of soil remained fairly constant in natural soil, whereas, in partially sterilized soil, bacteria multiplied rapidly. This phenomenon was subsequently shown by Hutchinson and Theysen (108) in 1918 to be due to lack of nutrients rather than the presence of bacteriotoxins in soil. Since then, little research has been done on soil bacteriostasis until the report by Brown (30) in 1973 when the interest on this

subject was revived. The effects of nutritional factors on soil bacteriostasis have been studied by adding nutrients to soil, to agar discs placed on soil, or to soil extract and measuring the number of propagules in soil (220) or soil extract (108), or the colony size in agar discs (30).

III. COMPARISON OF MICROBIOSTASIS INDUCED BY CHEMICALS AND NATURAL SOIL

Significant discoveries of the effects of nutritional factors on microbiostasis induced by chemicals include the following: 1) Reversal of bacteriostasis action of sulfanilamide against certain bacteria by p-aminobenzoic acid (295); 2) protection of fungi against polyene antibiotics by sterols (78); 3) detoxification of antimicrobial agents by the sulfur-containing amino acid, cysteine (53); 4) reversal of activity of antimicrobial compounds by metals (307); 5) degradation of antibiotics by enzymes (203). Considerable numbers of antimicrobial agents were inactivated by agar (Table 1). This deserves special attention because agar media have frequently been used in the assay of inhibitory substances. A solidifying agent with minimal effect on activity of antimicrobial substances was found recently by Ho and Ko (*Phytopathology* 70:764-766, 1980).

The following generalizations regarding reversal of soil microbiostasis by nutrients may be recognized:

1. Different species or different clones of the same species may have different nutrient requirements for annulment of soil microbiostasis.
2. Soil microbiostasis of a given microorganism may be reversed by different nutritional factors.
3. Mixtures and complex substances containing carbon sources in general

are very effective in reversing soil microbiostasis, whereas inorganic salts are mostly ineffective.

4. Effectiveness of a nutritional factor on soil microbiostasis of a microorganism may be affected by the assay method used.

Although chemical and soil microbiostasis share some common nutritional factors in the reversal of the inhibitory activity, the following important differences may be recognized:

1. Agar is very effective in inactivating antimicrobial agents, but is usually less effective or ineffective in reversing soil microbiostasis. In fact, agar discs have been used frequently in assaying soil microbiostasis.
2. Detoxification of antimicrobial agents by sulfur-containing amino acids, especially cysteine, is a well-known phenomenon in chemical microbiostasis. However, these compounds are generally ineffective in annulment of soil microbiostasis.
3. Vitamins and related compounds are capable of reversing a number of antimicrobial agents, but are mostly ineffective in reversing soil microbiostasis.
4. Inactivation of antimicrobial agents by mineral salts is a common phenomenon in chemical microbiostasis. However, these compounds are, in general, ineffective in annulment of soil microbiostasis. As a matter of fact, they are the common constituents of soil.

These differences suggest that soil microbiostasis is not due to chemical inhibition. Reversal of soil microbiostasis can be explained as the result of fulfillment of nutritional requirements for germination and growth rather than inactivation of inhibitory substances in soil (133,138).

TABLE 1. Effects of Nutritional Factors on Microbiostasis Induced by Chemicals

Nutritional factor	Chemical affected	Test microorganism	Reference
I. Microbiostasis Decreased			
<u>Carbohydrates and Related Compounds</u>			
Glucose	Pyridinethione	<u>Collectotrichum phomoides</u>	217
	Ba(NO ₃) ₂	<u>Monilia sitophila</u>	145
	NH ₄ Cl,	<u>M. sitophila</u>	146
	NaCl,		
	CaCl ₂ ,		
	CuCl ₂ ,		
	ZnCl ₂ ,		
	CoCl ₂ ,		
	CdCl ₂ ,		
	HgCl ₂ ,		
	Nystatin	<u>Saccharomyces cerevisiae</u>	256
	Nystatin	<u>Candida albicans</u>	256
	Ethylene thiuram disulphide,	<u>Alternaria brassicicola</u>	50
Nabam,			
Dinocap,			
Triphenyltin acetate,			
6-Azauracil			
Fructose	Ethylene thiuram disulphide	<u>A. brassicicola</u>	50
Xylose	Pyridinethione	<u>Collectotrichum phomoides</u>	217
Mannose	Ethylene thiuram disulphide	<u>Alternaria brassicicola</u>	50
Sucrose	Streptomycin,	<u>Pythium ultimum</u>	274
	Griseofulvin,		
	Aureomycin		
	Aureomycin	<u>P. irregulare</u>	274
	Aureomycin	<u>Staphylococcus aureus</u>	112
	CaCl ₂ ,	<u>Monilia sitophila</u>	146
	CuCl ₂ ,		
ZnCl ₂ ,			
CoCl ₂ ,			
HgCl ₂ ,			
Nystatin	<u>Saccharomyces cerevisiae</u>	256	
Nystatin	<u>Candida albicans</u>	256	

	Czapek's mineral salts	<u>Alternaria solani</u>	137
	Czapek's mineral salts	<u>Calonectria crotalariae</u>	137
	Czapek's mineral salts	<u>Helminthosporium maydis</u>	137
Maltose	Nystatin	<u>Saccharomyces cerevisiae</u>	256
	Nystatin	<u>Candida albicans</u>	256
Lactose	Pyridinethione	<u>Colletotrichum phomoides</u>	217
	Nystatin	<u>Saccharomyces cerevisiae</u>	256
	Nystatin	<u>Candida albicans</u>	256
	KCl, NaCl, ZnCl ₂ , CdCl ₂	<u>Monilia sitophila</u>	146
Trehalose, Gentiobiose	Ethylene thiuram disulphide	<u>Alternaria brassicicola</u>	50
Starch	Aureomycin	<u>Staphylococcus aureus</u>	112
	NaCl, CaCl ₂ , FeCl ₃ , CoCl ₂ , CdCl ₂ ,	<u>Monilia sitophila</u>	146
Dextrin	Aureomycin	<u>Staphylococcus aureus</u>	112
Pectin, Chondroitin, Gum, Pneumococcal poly- saccharides	Aureomycin	<u>Colpoda cucullus</u>	158
Heparin, Alginic acid	Aureomycin, Dihydrostreptomycin, Chloromycetin Terramycin	<u>C. cucullus</u>	158
Agar	Polymyxin, Neomycin, Kanamycin, Streptomycin	<u>Staphylococcus aureus</u>	93
	Streptomycin, Aureomycin,	<u>S. aureus</u>	112

	Chloromycetin,		
	Penicillin		
	Nystatin	<u>Candida albicans</u>	256
	Nystatin	<u>Saccharomyces cerevisiae</u>	256
	8 Phenolic compounds	<u>Staphylococcus aureus</u>	222
	Phenol	11 Bacteria	81
	Laurylamine	9 Bacteria	81
	11 Fatty amines	<u>Staphylococcus aureus</u>	92
	5-Diazouracil,	<u>Escherichia coli</u>	83
	1-Methyl-3-nitro-1-nitrosoguanidine		
	Cetavlon	<u>Staphylococcus aureus</u>	204
	Ceepryn	<u>S. aureus</u>	204, 210
	Zephiran,	<u>S. aureus</u>	210
	Phemerol,		
	Cetamium		
	Methylaminoacridine	<u>S. aureus</u>	16, 17
	Proflavine	<u>S. aureus</u>	17
	Octyl alcohol,	<u>Mycobacterium tuberculosis</u>	7
	Diamyl sodium sulfo-succinate,		
	Dibutyl sodium sulfo-succinate,		
	Sodium stearate,		
	Potassium stearate		
	Sodium ricinoleate,	<u>M. tuberculosis</u>	7
	Glycerol monooleate,	<u>M. phlei</u>	
	Sodium oleyl sulphate,		
	Sodium oleate,		
	Lecithin		
	CuSO ₄	<u>Alternaria solani</u>	137
	CuSO ₄	<u>Calonectria crotalariae</u>	137
	CuSO ₄	<u>Helminthosporium maydis</u>	137
	Dithane M-45,	<u>Alternaria solani</u>	137
	Mertect,		
	ZnCl ₂ ,		
	ZnSO ₄		
	AlCl ₃ ,		
	FeSO ₄ ,		
	Na ₂ HAsO ₄ ,		
	NaCl,		
	KCl,		
Glycerol	Laurylamine	15 Bacteria	81
	Phenol	16 Bacteria	81
Thioglycerol	Captan	<u>Saccharomyces pastorianus</u>	166
Thioglycolate	Clavacin,	5 Bacteria	71
	Penicillic acid		
	HgCl ₂ ,	<u>Salmonella paratyphi</u>	14
	Allyl-2-propene-1-thiosulfinate		

	Tetramethylene diisocyanate, Nabam Arsphenamide, Neoarsphenamide, Silver arsphenamide, Arsenoxide, Bismuth, HgCl ₂ ,	<u>Penicillium italicum</u> , <u>Aspergillus niger</u>	123
		<u>Spirocheta pallida</u>	53
Quinaldic acid	Oxine	<u>Stemphylium sarcinaeforme</u>	308
	Oxine	<u>S. sarcinaeforme</u> , <u>Monilinia, fructicola</u>	309
Digitonin	Nystatin, Amphotericin B	<u>Candida albicans</u>	72
N-acetylglucosamine	Bacillin	4 Bacteria	279
Citrate	Copper	<u>Mycobacterium phlei</u>	208
	Bordeaux mixture	4 Fungi	174
	Oxamycin, Morin, Patulin	<u>Bacillus subtilis</u>	288
	Usnic acid	<u>B. subtilis</u>	29
	Juglone	<u>B. subtilis</u>	258
Acetate	Propionate	<u>Streptococcus faecalis</u>	98
Tartrate	Oxamycin Morin, Patulin Juglone Copper	<u>B. subtilis</u>	288
		<u>B. subtilis</u>	258
		<u>Alternaria alternata</u>	22
Oxalate	Actidione	<u>Saccharomyces cerevisiae</u>	258
	Juglone	<u>Bacillus subtilis</u>	258
	Oxamycin, Morin, Patulin	<u>B. subtilis</u>	288
	Usnic acid	<u>B. subtilis</u>	29
Malic acid	Copper	<u>Alternaria alternata</u>	22
Pyruvic acid, 2-Ketoglutaric acid, 2-Ketobutyric acid, Dimethyl pyruvic acid	Sodium dimethyl- dithiocarbamate	<u>Penicillium italicum</u>	124
<u>Proteins and Related Compounds</u>			
Asparagine	Ascochitine Copper	<u>Cochliobolus miyabeanus</u> <u>Alternaria alternata</u>	198 22

	Streptomycin, Griseofulvin, Actidione, Aureomycin Aureomycin	<u>Pythium ultimum</u>	274
		<u>P. irregulare</u>	274
Aspartic acid	Furacin	<u>Escherichia coli</u>	82
Glutamine	Ascochitine	<u>Cochliobolus miyabeanus</u>	198
Glutamic acid	Phenyl pantothenone	<u>Saccharomyces cerevisiae</u>	297
	Copper	<u>Mycobacterium phlei</u>	208
	Aureomycin, Terramycin,	<u>Escherichia coli</u>	66
	Dihydrostreptomycin Ethylene thiuram disulphide	<u>Alternaria brassicicola</u>	50
Alanine	Cycloserine	<u>Bacillus subtilis</u>	67, 11
	Cycloserine	<u>Pediococcus cerevisiae</u>	310
	Cycloserine	Causal organisms of psitacosis, pneumonitis, meningopneumonitis, felinepneumonitis	189
	Cycloserine	<u>Staphylococcus aureus</u>	26
	Cycloserine	<u>Streptococcus fecalis</u>	240
	Cycloserine	<u>Mycobacterium acapulonsis</u>	188
	Cycloserine	<u>Pseudomonas aeruginosa</u> , <u>Escherichia coli</u>	111
	Ascochitine	<u>Cochliobolus miyabeanus</u>	198
Arginine	Canavanine	<u>Lactobacillus casei</u> , <u>L. arabinosus</u> ,	
		<u>L. delbrueckii</u>	277
	Furacin	<u>Escherichia coli</u>	82
	Dihydrostreptomycin, Terramycin	<u>E. coli</u>	66
	Ascochitine	<u>Cochliobolus miyabeanus</u>	198
	L-Canavine	<u>Neurospora sp.</u>	107
Glycine	Aureomycin	11 Bacteria	66
	Terramycin	<u>Escherichia coli</u>	66
	Sulfonamide	<u>E. coli</u>	139
	Copper	<u>Alternaria alternata</u>	22
Phenylalanine	Furacin	<u>Escherichia coli</u>	82
	Chloromycetin, Dihydrostreptomycin	<u>E. coli</u>	66
	Halogenate phenyla- lanine	<u>Neurospora sp.</u>	186
Proline	Hydroxyproline	<u>Trichophyton sp.</u>	218

Serine	Sulfonamide	<u>Escherichia coli</u>	139
Leucine	Penicillin G, Terramycin	<u>E. coli</u>	66
Isoleucine	Furacin	<u>E. coli</u>	82
Lysine	Furacin	<u>E. coli</u>	82
	Arginine	<u>Neurospora sp.</u>	49
Valine	Penicillin G.	<u>Escherichia coli</u>	66
Tyrosine	Penicillin G, Chloromycetin	<u>Escherichia coli</u>	66
Tryptophane	Penicillin G	<u>E. coli</u>	66
	Oxine	<u>Aspergillus niger</u>	309
Threonine	Borrelidin	<u>Bacillus subtilis</u>	205
Methionine	2-Chloro-4-benzoic acid	<u>Escherichia coli</u>	280
	Terramycin	<u>E. coli</u>	66
	Selenate	<u>Chlorella vulgaris</u>	241
	Selenium	<u>Aspergillus niger</u>	289
	Sulfonamide	<u>Escherichia coli</u>	139, 259
	Sulfanilamide, Sulfapyridine, Sulfadiazine, Sulfathiazole	<u>E. coli</u>	94
Cystine	Selenium	<u>Aspergillus niger</u>	289
Cysteine	Clavacin, Penicillic acid	5 Bacteria	71
	Cobalt	<u>Proteus vulgaris</u>	228
	HgCl ₂ ,	<u>Salmonella paratyphi</u>	14
	Allyl-2-propene-1- thiosulfinate		
	Phenylmercuric nitrate	<u>Escherichia coli</u> <u>Staphylococcus aureus</u> , <u>Eberthella typhosa</u>	262
	Tetramethylene diiso- cyanate, Nabam	<u>Penicillium italicum</u> , <u>Aspergillus niger</u>	123
	Ferbam	<u>Neurospora sitophila</u>	283
	Selenium	<u>Aspergillus niger</u>	289
	Captan	<u>Saccharomyces pastorianus</u>	166
	Arsphenamide, Neosphenamide, Silver arsphenamide, Arsenoxide, Bismuth,	<u>Spirocheta pallida</u>	53

	HgCl ₂	<u>Saccharomyces cerevisiae</u> ,	79
	Filipin	<u>Aspergillus flavus</u> ,	
		<u>Zygorhynchus moelleri</u>	
	Ethylene thiuram disulphide	<u>Alternaria brassicicola</u>	50
	Difolatan	<u>Saccharomyces pastorianus</u>	164
	Oxine	<u>Aspergillus niger</u>	308, 309
		<u>Botryosphaeria ribis</u>	
Homocysteine	Phenylmercuric nitrate	<u>Escherichia coli</u> ,	262
		<u>Staphylococcus aureus</u> ,	
		<u>Eberthella typhosa</u>	
	Selenium	<u>Aspergillus niger</u>	289
	Captan	<u>Saccharomyces pastorianus</u>	166
Glycylcysteine, N-acetylcysteine	HgCl ₂ ,	<u>Salmonella paratyphi</u>	14
	Allyl-2-propene-1- thiosulfinate		
Histidine	Phenyl pantothenone	<u>Saccharomyces cerevisiae</u>	297
	Cobalt	<u>Proteus vulgaris</u>	228
	Oxine	<u>Aspergillus niger</u> ,	308
		<u>Botryosphaeria ribis</u>	
	Oxine	<u>A. niger</u>	309
	Penicillin G	<u>Escherichia coli</u>	66
	Thiram	<u>Aspergillus niger</u>	122
	Sodium dimethyldithio- carbamate	<u>Saccharomyces cerevisiae</u>	73
8 Imidazole deri- vatives	Sodium dimethyldithio- carbamate	4 Fungi	124
Glutathione	Phenylmercuric nitrate	<u>Escherichia coli</u> ,	262
		<u>Staphylococcus aureus</u> ,	
		<u>Eberthella typhosa</u>	
	Ferbam	<u>Neurospora sitophila</u>	283
	Selenium	<u>Aspergillus niger</u>	289
	Captan	<u>Saccharomyces pastorianus</u>	166
	Arsphenamide, Neoarsphenamide, Silver arsphenamide, Arsenoxide, Bismuth, HgCl ₂	<u>Spirocheta pallida</u>	53
	Filipin	<u>Saccharomyces cerevisiae</u>	79
		<u>Zygorhynchus moelleri</u> ,	
		<u>Aspergillus flavus</u>	
	Difolatan	<u>Saccharomyces pastorianus</u>	164
D-Alanyl-D-alanine	Cycloserine	<u>Bacillus subtilis</u>	67

Hadacidin	6-Azauracil	<u>Escherichia coli</u>	239
Urethan	Sulfanilamide	Luminous bacteria	117
	Sulfanilamide	<u>Vibrio phosphorescen</u> ,	118
Dithizone	Sulfanilamide	<u>Photobacterium phosphoreum</u>	
		<u>Streptococcus hemolyticus</u> ,	180
		<u>Escherichia coli</u>	
Dithizone	Oxine	<u>Stemphylium sarcinaeforme</u>	308
Thiosulfate	Clavacin, Penicillic acid	5 Bacteria	71
Peptone	Atabrine	<u>Escherichia coli</u>	245
	Penicillin,	<u>E. coli</u>	65
	Streptomycin,		
	Aureomycin,		
	Chloromycetin,		
	Terramycin,		
	Bacillin		
	Sulfonamide	<u>E. coli</u>	139, 167
	Sulfathiazoles	<u>Salmonella enteritidis</u>	190
	Sulfanilamide	<u>Streptococci</u>	161
	Al(NO ₃) ₃ ,	<u>Monilia sitophila</u>	145
	Fe(NO ₃) ₃		
CaCl ₂ ,	<u>M. sitophila</u>	146	
FeCl ₃ ,			
CuCl ₂ ,			
ZnCl ₂ ,			
CoCl ₂ ,			
CdCl ₂ ,			
HgCl ₂			
Diamidines	<u>Staphylococcus aureus</u> ,	21	
	<u>Balantidium coli</u>		
Ascochitine	<u>Cochliobolus miyabeanus</u>	197	
Sulfathiazole	<u>Staphylococcus aureus</u>	237	
	<u>Escherichia coli</u>		
Tryptone	Sulfonamide	<u>E. coli</u>	167
Polyamines	Atabrine	<u>E. coli</u>	245
Spermine, Spermidine	Atabrine	<u>E. coli</u>	184, 245
	Propamidine, Quinine	<u>E. coli</u>	184
Protein	Cephalothin, Cephaloridine, Cefazolin	<u>Sarcina lutea</u>	281
Gelatin	CuSO ₄	<u>Alternaria solani</u>	137
Lipoprotein	Boromycin	<u>Bacillus subtilis</u>	199
	Enniatin (D, S),	<u>B. subtilis</u>	198

	Nanactin, Polymyxin B, Valinomycin, Cetyl-trimethylammo- nium bromide		
Albumin	Penicillins (X, G, K, Dihydro F)	<u>Streptococcus hemolyticus</u>	264
	Sulfonamide	<u>Escherichia coli</u>	42
	Nystatin	<u>Saccharomyces cerevisiae</u>	147
	Copper dimethyldithio- carbamate	<u>Glomerella cingulata</u>	263
	Sulfaethylthiadiazole, Sulfisoxazole, Sulfamethoxy-pyridazine, Sulfadiazine	<u>Escherichia coli</u>	9
Casein	Sulfonamide	<u>E. coli</u>	167
Enzyme	Cefuzolin	<u>Staphylococcus aureus</u>	64
	Penicillin	<u>S. aureus</u>	1, 153
	Penicillin	<u>Escherichia coli</u>	203
	Chloromycetin	<u>Proteus vulgaris</u> , <u>Bacillus subtilis</u>	246
	Chloromycetin	<u>Escherichia coli</u>	195
	Gentamicins	<u>Staphylococcus aureus</u>	31
	Gentamicin	<u>Escherichia coli</u>	18
	Kanamycin	<u>Bacillus subtilis</u>	304, 305
	Kanamycin	<u>Escherichia coli</u>	18, 195, 196
	Streptomycin	<u>E. coli</u>	196
	Dihydrostreptomycin	<u>E. coli</u>	195
	Neamine	<u>E. coli</u>	18
	Neamine	<u>Bacillus subtilis</u>	305
	Butirosin A, Ribostamycin	<u>B. subtilis</u>	305
	Lividomycin A	<u>B. subtilis</u>	141
	Paromamine	<u>Escherichia coli</u>	196
	Neomycin, Hybrimycin, Nebramycin	<u>E. coli</u>	18
	Colistin	<u>E. coli</u>	110
	Thiram, Copper, dimethyldithio- carbamate	<u>Glomerella cingulata</u>	263

Nucleic Acids and Related Compounds

Purine	Sulfanilamide	<u>Lactobacillus arabinosus</u>	250
	Sulfonamide	<u>Escherichia coli</u>	139
Adenine	Sulfanilamide, Sulfadiazine, Sulfapyridine, Sulfathiazole	<u>Streptococcus hemolyticus</u>	175

	Benzimidazole	<u>Saccharomyces cerevisiae</u>	298
	Cycloheximide	<u>Fomes annosus</u>	88
	5-Amino-7-hydroxy- triazolo pyrimidine	<u>Ophiostoma multiannulata</u> , <u>Lentinus amphilodes</u>	68
Guanine	Benzimidazole	<u>Saccharomyces cerevisiae</u>	298
	2-Heptadecyl-2-imidazole	<u>Sclerotinia frutcticola</u>	292
	Cycloheximide	<u>Fomes annosus</u>	88
	5-Amino-7-Hydroxy- triazolo pyrimidine	<u>Ophiostoma multiannulata</u>	68
Xanthine	2-Heptadecyl-2-imidazole	<u>Sclerotinia fruticola</u>	292
	Cycloheximide	<u>Fomes annosus</u>	88
	5-Amino-7-hydroxy- triazolo pyrimidine	<u>Ophiostoma multiannulata</u>	68
Hypoxanthine	Aza-adenine	<u>Lactobacillus brevis</u> , <u>L. arabinosus</u>	301
Uracil	Cycloheximide	<u>Fomes annosus</u>	88
	Aureomycin	<u>Escherichia coli</u>	
Adenosine	Nystatin	<u>Candida albicans</u>	72
Guanosine	Amphotericin B	<u>C. albicans</u>	72
	Aureomycin	<u>Escherichia coli</u>	66
Xanthosine	2-Heptadecyl-2-imidazole	<u>Sclerotinia fruticola</u>	292
Inosine	Aureomycin	11 Bacteria	66
Cytidine	Adenosime	<u>Neurospora sp.</u>	163
Nucleic acid	Aureomycin, Dihydrostreptomycin, Chloromycetin, Terramycin Diamidines	<u>Colpoda cucullus</u>	158
	Stilbamidine	<u>Staphylococcus aureus</u> <u>Balantidium coli</u> <u>Leishmania donovani</u> , <u>Trichomonas vaginalis</u>	21 21
Nicotinamide- ribose nucleotide	Sulfapyridine	<u>Lactobacillus arabinosus</u>	261
Lumichrome	Aureomycin	11 Bacteria	66
Coenzyme A	Captan	<u>Saccharomyces pastorianus</u>	166
Coenzyme I	Sulfapyridine	<u>Lactobacillus arabinosus</u>	261

Lipids and Related Compounds

Palmitic acid, Stearic acid	Nystatin	<u>Saccharomyces cerevisiae</u>	253
Oleic acid	Nystatin	<u>S. cerevisiae</u>	253
	Nystatin	<u>Candida albicans</u>	72
	Amphotericin B	<u>C. albicans</u>	72
	Ascospin, Fradicin, Prodigiosin, Fungicidin Ceruleinin	<u>Saccharomyces cerevisiae</u>	97
		<u>S. cerevisiae</u>	193
Linoleic acid	Nystatin	<u>S. cerevisiae</u>	253
	Nystatin	<u>Candida albicans</u>	72
	Amphotericin B	<u>C. albicans</u>	72
	Ascospin	<u>Saccharomyces cerevisiae</u>	97
Linolenic acid	Ascospin	<u>S. cerevisiae</u>	97
Pentadecanoic acid	Ceruleinin	<u>S. cerevisiae</u>	193
Aliphatic acids	Penicillin	<u>Micrococcus pyogenes</u> var. <u>aureus</u> , <u>Streptomyces faecalis</u>	15
Tween 80	Ascospin, Fradicin, Prodigiosin, Fungicidin Boromycin	<u>Saccharomyces cerevisiae</u>	97
		<u>Bacillus subtilis</u>	199
Sterols	Filipin	<u>Hansenula subpelliculosa</u> , <u>Penicillium oxalicum</u>	78
	Fungichromin, Amphotericin B, Trichomycin, Rimocidin, Candicidin (A, B), Ascospin, Nystatin	<u>P. oxalicum</u>	78
Cholesterol	Filipin	31 Fungi	79
	Filipin	<u>Hansenula subpelliculosa</u>	78
	Filipin	<u>Saccharomyces cerevisiae</u>	148
	Fungichromin, Sodium laurylsulfonate	<u>S. cerevisiae</u>	79
	Nystatin	<u>S. cerevisiae</u>	148
	Nystatin, Amphotericin B	<u>Candida albicans</u>	72
	Antimycocin	<u>Aspergillus niger</u> , <u>Saccharomyces cerevisiae</u>	148

Sitosterol	Filipin	<u>Penicillium oxalicum</u> , <u>Hansenula subpelliculosa</u>	78, 79
	Antimycoin Fungichromin, Amphotericin B, Trichomycin, Rimocidin, Candicidin (A, B), Ascosin, Nystatin	<u>Aspergillus niger</u> <u>Penicillium oxalicum</u>	148 79
Ergosterol	Filipin	<u>Hansenula subpelliculosa</u>	78
	Filipin	<u>Neurospora crassa</u>	120
	Antimycoin	<u>Aspergillus niger</u>	148
	Amphotericin B, Nystatin	<u>Neurospora crassa</u>	120
	Cerulenin	<u>Saccharomyces cerevisiae</u>	193
Stigmasterol	Filipin	<u>Hansenula subpelliculosa</u>	78
	Antimycoin	<u>Aspergillus niger</u>	148
Lichesterol	Filipin, Nystatin, Amphotericin B	<u>Neurospora crassa</u>	120
Lanosterol, Ergosterone	Filipin	<u>Hansenula subpelliculosa</u>	78
Lecithin, Phytol	Boromycin	<u>Bacillus subtilis</u>	199
Thiotic acid	Propionate	<u>Streptococcus faecalis</u>	99

Vitamins and Related Compounds

Vitamin A. (Retinol)	Nystatin, Amphotericin B	<u>Candida albicans</u>	72
Vitamin B ₁ (Thiamine)	Furacin	<u>Escherichia coli</u>	82
	Aureomycin, Chloromycetin	<u>E. coli</u>	66
	Pyriethamine	<u>Phycomyces blakesleeanae</u> , <u>Ustilago violacea</u>	174
Coccarboxylase (Diphosphothiamine)	Pyriethamine, 2-Methyl-6-amino- pyrimidine, 2-Methyl-5-ethoxy- methyl-6-amino- pyrimidine	<u>Penicillium digitatum</u>	224

Vitamin B ₂ (Riboflavin)	Aureomycin	11 Bacteria	66
	2, 6-Dichlororiboflavin	<u>Ererothecium ashbyi</u>	174
Vitamin B ₃ (Nicotinamide)	Furacin	<u>Escherichia coli</u>	82
	Sulfapyridine	<u>Lactobacillus arabinosus</u>	261
	Pyridine-3-sulfonamide	<u>Staphylococcus aureus</u>	180
Niacin (Nicotinic acid)	Sulfapyridine	<u>Lactobacillus arabinosus</u>	261
Vitamin B ₅ (Pantothenic acid)	Propionate	<u>Streptococcus faecalis</u>	98
	Furacin	<u>Escherichia coli</u>	82
	Aureomycin	<u>E. coli</u>	66
	Taurine	<u>Lactobacillus arabinosus</u>	249
	Pantoyltaurine	<u>Streptococcus hemolyticus</u> , <u>Diplococcus pneumoniae</u> , <u>Clostridium diphtheriae</u>	180
Vitamin B ₆ (Pyridoxine)	Furacin	<u>Escherichia coli</u>	82
	Aureomycin	<u>E. coli</u>	66
Pyridoxamine	Aureomycin	<u>E. coli</u>	66
Vitamin B ₁₂ (Cyanocobalamin)	1, 2-Dichloro-4, 5-diaminobenzene	<u>Ophiostoma multiannulata</u>	300
Vitamin B _x (p-Aminobenzoic acid)	Sulfanilamide	<u>Escherichia coli</u>	63, 162, 180, 202, 259
	Sulfanilamide	<u>Streptococcus hemolyticus</u>	162, 180
	Sulfanilamide	<u>S. pyrogenes</u>	238
	Sulfanilamide	<u>Staphylococcus aureus</u>	151
	Sulfanilamide	<u>Streptobacterium plantarum</u>	187
	Sulfanilamide	<u>Lactobacillus arabinosus</u>	250
	Sulfanilamide	<u>Pneumococcus sp.</u>	238
	Sulfanilamide	<u>Vibrio phosphorescens</u> , <u>Photobacterium phosphoreum</u>	118
	Sulfanilamide	Luminous bacteria	117
	Sulfanilamide	<u>Clostridium acetobutylicum</u>	220
	Sulfanilamide	7 Bacteria	303
	Sulfanilamide	<u>Mycobacterium tuberculosis</u>	63
	Sulfanilamide	<u>Plasmodium gallinaceum</u>	169
	Sulfanilamide	<u>Neurospora crassa</u>	57, 260
	Sulfanilamide	<u>Saccharomyces cerevisiae</u>	149
	Sulfanilamide	<u>Trichophyton purpureum</u>	45
	Sulfapyridine	<u>Escherichia coli</u>	63, 128, 259
	Sulfapyridine	<u>Mycobacterium tuberculosis</u>	63
	Sulfapyridine	<u>Lactobacillus arabinosus</u>	261
	Sulfapyridine	<u>Pneumococcus sp.</u>	179
	Sulfapyridine	<u>Saccharomyces cerevisiae</u>	149
	Sulfapyridine	<u>Nitzschia palea var. debilis</u>	293

	Sulfadiazine	<u>Escherichia coli</u>	63
	Sulfadiazine	<u>Mycobacterium tuberculosis</u>	63
	Sulfadiazine	<u>Staphylococcus aureus</u>	151
	Sulfathiazole	<u>Escherichia coli</u>	63, 128
	Sulfathiazole	<u>Staphylococcus aureus</u>	128, 151
	Sulfathiazole	<u>Mycobacterium tuberculosis</u>	63
	Sulfathiazole	<u>Salmonella enteritidis</u>	190
	Sulfathiazole	7 Bacteria	303
	Sulfathiazole	<u>Saccharomyces cerevisiae</u>	149
	Sulfathiazole	<u>Nitzschia palea</u> var. <u>debilis</u>	293
	Sulfaguanidine	<u>Escherichia coli</u>	259
	Sulfaguanidine	<u>Staphylococcus aureus</u>	151
	Sulfaguanidine	<u>Saccharomyces cerevisiae</u>	149
	Sulfonamide	<u>Pseudomonas pyocyanea</u>	270
	Sulfonamide	<u>Acetobacter suboxydans</u>	150
	Sulfonamide	<u>Aspergillus ruber</u>	251
	Sulfonamide	<u>Streptobacterium plantarum</u>	11
		<u>Nitzschia palea</u> var. <u>debilis</u>	293
	P-Nitrobenzoate	<u>Streptococcus viridans</u>	183
	Aureomycin	<u>Escherichia coli</u>	66
	Cycloheximide	<u>Fomes annosus</u>	88
Vitamin H (Biotin)	Aureomycin	<u>Escherichia coli</u>	66
	Acidomycin	<u>Mycobacterium tuberculosis</u> var. <u>avium</u>	89
	Desthiobiotin	<u>Sordaria fimicola</u>	155
	Desthiobiotin sulfone	<u>Saccharomyces cerevisiae</u>	52
	Oxybiotin sulfone	<u>S. cerevisiae</u>	103
Desthiobiotin, Heterothiobiotin	Desthiobiotin sulfone	<u>S. cerevisiae</u>	52
Oxybiotin	Oxybitotin sulfone	<u>S. cerevisiae</u>	103
Vitamin K (Menadione)	2, 3-Dichloro-1, 4- Naphthoquinone	<u>S. cerevisiae</u>	299
Vitamin M (Folic acid)	Aureomycin	<u>Escherichia coli</u>	66
Choline	Phosphoxylcholine, Betaine, Arsenocholine, Triethylcholine, Dimethylethylhydroxy- ethyl-ammonium hydroxide	<u>Neurospora</u> sp.	106

Inositol	Hexachlorocyclohexane	<u>Saccharomyces cerevisiae</u>	130
	Hexachlorocyclohexane	<u>Nematospora gossypii</u>	32
<u>Mineral salts</u>			
Mg ⁺⁺	Vancomycin	<u>Bacillus subtilis</u>	20
	Vancomycin	<u>Pseudomonas fluorescens</u>	51
	Aureomycin	<u>Escherichia coli</u>	223, 226, 227 252
	Aureomycin	<u>Azotobacter vinelandii</u>	119
	Aureomycin	<u>Pseudomonas aeruginosa</u>	19
	Aureomycin	<u>Shigella flexneri</u>	306
	Terramycin	<u>Pseudomonas aeruginosa</u>	19, 209, 285
	Terramycin	<u>Escherichia coli</u>	252
	Tetracycline	<u>Azotobacter vinelandii</u>	119
	Tetracycline	<u>Pseudomonas aeruginosa</u>	41
	Gentamycin, Carbenicillin, Polymyxin B	<u>P. aeruginosa</u>	41
	Polymyxin	<u>P. aeruginosa</u>	191
	Nocardicin A	<u>P. aeruginosa</u> , <u>P. mirabilis</u>	140
	Streptomycin	<u>Klebsiella pneumoniae</u>	48
	Novobiocin	Gram negative bacteria	287
	Mitomycin D	<u>Pseudomonas fluorescens</u> , <u>Flavobacterium sp.</u>	51
	D-Serine	<u>Flavobacterium sp.</u>	51
	Oxine	<u>Micrococcus pyogenes</u>	70
	Oxine	<u>Pythium ultimum</u>	176
	Atabrine	<u>Escherichia coli</u>	244
	Citrate	Lactic acid bacteria	168
Fe ⁺⁺	Aureomycin	<u>Pseudomonas aeruginosa</u>	19
	Aureomycin	<u>Shigella flexneri</u>	306
	Terramycin	<u>Pseudomonas aeruginosa</u>	19, 285
	Terramycin	<u>Micrococcus pyogenes</u>	213
	Kanamycin	<u>Bacillus subtilis</u> , <u>Pseudomonas aeruginosa</u> , <u>Mycobacterium sp.</u>	278
	Polymyxin	<u>Pseudomonas aeruginosa</u>	191
	Oxine	<u>Aspergillus niger</u>	8, 171, 276
	Oxine	Gram-negative bacteria	6
	Oxine	<u>Pythium ultimum</u>	176
	Oxine	<u>Micrococcus pyogenes</u>	70
	Copper oxinate	<u>Aspergillus niger</u>	276
	Conalbumin	<u>Bacillus subtilis</u> , <u>Micrococcus lysodeckticus</u>	60
Fe ⁺⁺⁺	Aureomycin	<u>Shigella flexneri</u>	306
	Copper oxinate	<u>Curvularia lunata</u>	23

Mn ⁺⁺	Aureomycin	<u>Bacillus subtilis</u>	284	
	Aureomycin	<u>Escherichia coli</u>	225	
	Terramycin	<u>Bacillus subtilis</u>	284	
	Terramycin	<u>Pseudomonas aeruginosa</u>	285	
	Tetracycline	<u>Bacillus subtilis</u>	284	
	Polymyxin	<u>Pseudomonas aeruginosa</u>	191	
	Vancomycin	<u>P. fluorescens</u>	51	
	Mitomycin D	<u>P. fluorescens</u> , <u>Flavobacterium sp.</u>	51	
	D-Serine	<u>Flavobacterium sp.</u>	51	
	Atabrine	<u>Escherichia coli</u>	244	
	Oxine	<u>Micrococcus pyogenes</u>	70	
	Citrate	<u>Lactic acid bacteria</u>	168	
	Ca ⁺⁺	Aureomycin	<u>Escherichia coli</u>	223
		Aureomycin,	<u>Micrococcus pyogenes var.</u>	209
Terramycin		<u>aureus</u>		
Terramycin		<u>Pseudomonas aeruginosa</u>	209	
Tetracycline, Gentamicin, Carbenicillin		<u>P. aeruginosa</u>	41	
Polymyxin B		<u>P. aeruginosa</u>	41, 209	
Streptomycin		<u>Klebsiella pneumoniae</u>	48	
Dihydrostreptomycin, Neomycin, Carbomycin, Bacitracin, Oleandomycin		<u>Micrococcus pyogenes var.</u> <u>aureus</u>	209	
Novobiocin		<u>Gram negative bacteria</u>	287	
Nystatin		<u>Saccharomyces cerevisiae</u>	253	
Nocardicin A		<u>Pseudomonas aeruginosa</u> , <u>P. mirabilis</u>	140	
Atabrine		<u>Micrococcus lysodeikticus</u>	34	
Atabrine		<u>Escherichia coli</u>	244	
12-Methyltridecanoic acid		<u>Fusarium roseum</u>	152	
Copper		<u>Alternaria alternata</u>	22	
Cu ⁺⁺		Oxamycin	<u>Pseudomonas fluorescens</u>	288
		Thujaplicin	<u>Saccharomyces cerevisiae</u>	211
		5-Phenyl oxine, 5-Amyl oxine	<u>Aspergillus niger</u>	33
		Oxine	<u>A. niger</u>	276
	Copper oxinate	<u>A. niger</u>	23, 276	
Co ⁺⁺	Oxine	<u>Bacillus subtilis</u> , <u>Micrococcus lysodeikticus</u>	60	
	Oxine	<u>Gram-positive bacteria</u>	6	
	Oxine	<u>Aspergillus niger</u>	171	
	Oxine	<u>Micrococcus pyogenes</u>	70	
	2-picolinic hydrazide	<u>Mycobacterium tuberculosis</u>	59	

Zn ⁺⁺	Oxine	Gram negative bacteria	6
	Oxine	<u>Pythium ultimum</u>	176
	Oxine	<u>Ceratocystis ulmi</u> ,	307
		<u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u>	
Ba ⁺⁺	Atabrine	<u>Escherichia coli</u>	244
	Streptomycin	<u>Klebsiella pneumoniae</u>	48
	Novobiocin	Gram negative bacteria	287
Ni ⁺⁺	Copper oxinate	<u>Curvularia lunata</u>	23
Sr ⁺⁺	Novobiocin	Gram negative bacteria	287
Rb ⁺⁺	Nystatin	<u>Saccharomyces cerevisiae</u>	172
K ⁺	Boromycin	<u>Bacillus subtilis</u>	199
	Copper	<u>Alternaria alternata</u>	22
Na ⁺ , H ⁺	Copper	<u>A. alternata</u>	22
SO ₄ ⁻⁻	Selenium	<u>Chlorella vulgaris</u>	241
	Selenium	<u>Aspergillus niger</u>	289
PO ₄ ⁻⁻⁻	Oxamycin,	<u>Bacillus subtilis</u>	288
	Morin,		
	Patulin		
	Usnic acid	<u>B. subtilis</u>	29
	Nystatin	<u>Candida stellatoidea</u>	27
MnO ₄ ⁻	Oxamycin,	<u>Bacillus subtilis</u>	288
	Morin, Patulin Terramycin	<u>Pseudomonas aeruginosa</u>	285
<u>Miscellaneous Compounds</u>			
EDTA	Oxamycin,	<u>Bacillus subtilis</u>	288
	Morin, Patulin		
	Novobiocin	Gram negative bacteria	287
	Oxine	<u>Aspergillus niger</u>	33, 309
	Sodium dimethyldithio- carbamate	<u>Saccharomyces cerevisiae</u>	73
	Copper	<u>Alternaria alternata</u>	22
Dithizone	Oxine	<u>Aspergillus niger</u> <u>Stemphylium sarcinaeforme</u> , <u>Monilinia fructicola</u>	309
Oxine	Copper oxinate	<u>Curvularia lunata</u>	23

Hemin	Isoniazid, Salicylidene, Benzylidene hydrazone, p-Aminosalicylic acid hydrazide, Picolinic acid hydra- zide, Glycine hydrazide	<u>Mycobacterium tuberculosis</u> var. <u>hominis</u>	62
<u>Mixture and Complex Substances</u>			
Casamino acids (casein hydrolysate)	Chloromycetin,	<u>Escherichia coli</u>	65, 66
	Terramycin	<u>E. coli</u>	65
	Streptomycin,		
	Aureomycin,		
	Bacillin,		
	Penicillin		
	Penicillin G	<u>E. coli</u>	66
	Nocardicin A	<u>Pseudomonas aeruginosa</u> ,	140
		<u>P. mirabilis</u>	
	Quinacrine	<u>Escherichia coli</u>	214
	Sulfathiazole	<u>Salmonella enteritidis</u>	190
	Oxine	<u>Botryosphaeria ribis</u>	308
	Oxine	<u>Aspergillus niger</u>	308, 309
Selenium	<u>A. niger</u>	289	
Yeast extract (Basamine)	Aureomycin	<u>Pythium ultimum</u>	274
		<u>P. rostratum</u> ,	
		<u>P. irregulare</u>	
	Aureomycin	<u>Escherichia coli</u>	65, 66
	Streptomycin	<u>E. coli</u>	65
	Streptomycin	<u>Pythium ultimum</u>	274
		<u>P. rostratum</u>	
	Dihydrostreptomycin	<u>Escherichia coli</u>	66
	Chloromycetin,	<u>E. coli</u>	65, 66
	Terramycin		
	Bacillin,	<u>E. coli</u>	65
	Penicillin		
	Penicillin G	<u>E. coli</u>	66
	Griseofulvin,	<u>Pythium ultimum</u> ,	274
	Actidione	<u>P. rostratum</u>	
	Ascochitine	<u>Cochliobolus miyabeanus</u>	197
	Ascospin	<u>Saccharomyces cerevisiae</u>	97
	Nocardicin A	<u>Pseudomonas aeruginosa</u> ,	140
		<u>P. mirabilis</u>	
Atabrine	<u>Escherichia coli</u>	245	
Sulfanilamide	<u>E. coli</u> ,	162	
	<u>Streptococcus hemolyticus</u>		
Diamidine	<u>Staphylococcus aureus</u> ,	21	
	<u>Balantidium coli</u>		
Blood	Sulfanilamide	<u>Streptococcus sp.</u>	69

Serum	Oxacillin,	<u>Staphylococcus</u> sp.	144
	Nafcillin,		
	Ancillin,		
	Methicillin,		
	Cephalothin,		
	Novobiocin,		
	Penicillin (G, V)		
	Penicillin (X, G, K, dihydro F)	<u>Streptococcus hemolyticus</u>	264
	Penicillin (G, V),	<u>Staphylococcus aureus</u>	219
	Phenethicillin,		
	Propicillin,		
	Cloxacillin		
	HQ-Rifamycins	<u>S. aureus</u>	10
	Nystatin	<u>Candida albicans</u>	256
Phenol,	<u>Staphylococcus aureus</u>	104	
Plasma	Cetyl-trimethyl- ammonium bromide,		
	Hexylresorcinol,		
	Cetylpyridinium chloride		
	Merthiolate,	<u>Escherichia coli</u>	54
	Castor oil		
	Sulfapyridine	<u>Pneumococcus</u> sp.	25
	Nystatin	<u>Candida albicans</u>	256
	Sulfaethylthiadiazole,	<u>Escherichia coli</u>	9
	Sulfaisoxazole,		
	Sulfamethoxy-pyri- dazine,		
Sulfadiazine			
Bile salts	Ristocetin,	<u>Staphylococcus aureus</u> ,	230
	Vancomycin	<u>Streptococcus faecalis</u>	
	Polymyxin	6 Bacteria	230
	Amphotericin B,	<u>Candida albicans</u>	229
	Nystatin, Chlorquinaldol, Gentian violet		
Milk	Cetyl-trimethyl- ammonium bromide	<u>Staphylococcus aureus</u>	104
Urine	Sulfanilamide	<u>Streptococcus</u> sp.	69
Vitamin mixture	Penicillin G, Chloromycetin	<u>Escherichia coli</u>	66
Purine + Pyrimidine	Penicillin G, Aureomycin, Chloromycetin, Dihydrostreptomycin	<u>E. coli</u>	66
Animal tissues and extracts	Penicillin, Streptomycin, Aureomycin,	<u>E. coli</u>	65

	Chloromycetin,		
	Terramycin,		
	Bacillin		
	Ascospin	<u>Saccharomyces cerevisiae</u>	97
	Sulfonamide	<u>Escherichia coli</u>	139, 167
	Sulfapyridine	<u>Lactobacillus arabinosus</u>	261
	Diamidine	<u>Staphylococcus aureus,</u>	21
		<u>Balantidium coli</u>	
Plant tissues and	Mitomycin	<u>Bacillus subtilis</u>	80
extracts	Thiram	<u>Glomerella cingulata</u>	215, 216, 263
	Copper	<u>Alternaria alternata</u>	22, 102
	Copper	<u>Nectria galligena</u>	102
		<u>Gloeosporium perennans</u>	
	Copper	<u>Sclerotinia fructicola</u>	178
	Copper oxychloride	<u>Macrosporium sarcinaeforme</u>	96
	Copper dimethyldithio-	<u>Glomerella cingulata</u>	263
	carbamate		

II. Microbiostasis Increased

N-Acetylgalactosamine, Methionine	Ethylene thiuram disulphide	<u>Alternaria brassicicola</u>	50
Cholesterol	Filipin	<u>Mycoplasma laidlawii</u>	282
Aliphatic acid	Streptomycin	<u>Micrococcus pyogenese</u> var. <u>aureus</u> , <u>Streptococcus faecalis</u>	15
EDTA	5-Phenyl oxine, 5-Amyl oxine	<u>Aspergillus niger</u>	33
Sodium caseinate	Selenium	<u>A. niger</u>	289
Serum	Iodine	<u>Staphylococcus aureus</u>	104
Bile salts	Penicillin, Neomycin	<u>Staphylococcus aureus</u>	230
	Neomycin	<u>Streptococcus faecalis</u>	230
Cu ++	Oxine	<u>Aspergillus niger</u>	8, 33
	Oxine sulphate, Pyridine-N-oxide-2- thiol	<u>A. niger</u>	125
	Sodium dimethyldithio- carbamate	<u>Saccharomyces cerevisiae</u>	74
	Isoniazid	<u>Mycobacterium tuberculosis</u>	206
	Juglone	<u>Bacillus subtilis</u>	258
Co++	Chloromycetin	<u>B. subtilis</u>	267
	Streptomycin, Penicillin, Bacitracin	<u>Micrococcus pyogenes</u>	267
	Aspergillic acid	<u>Mycobacterium tuberculosis</u>	75
	Juglone	<u>Bacillus subtilis</u>	258
	Captan	<u>Saccharomyces pastorianus</u>	165
Zn++	Captan	<u>S. pastorianus</u>	165
	Sodium dimethyldithio- carbamate	<u>S. cerevisiae</u>	74
	Juglone	<u>Bacillus subtilis</u>	258
Mn++, Ni++, Hg++, Al+++	Juglone	<u>B. subtilis</u>	258
Bi+++	Aspergillic acid	<u>Staphylococcus aureus</u>	76
Plant exudates	Zineb	<u>Aspergillus niger</u>	142

TABLE 2. Effects of Nutritional Factors on Soil Fungistasis

Nutritional factor	Material amended with nutrients	Test microorganism	Type of propagule	Reference
I. FUNGISTASIS DECREASED				
<u>Carbohydrates and Related Compounds</u>				
Glucose	Soil	<u>Mucor ramannianus</u>	Sporangiospores	86,87
	Soil	<u>M. silvaticus</u>	Sporangiospores	202
	Soil	<u>Phytophthora cinnamomi</u>	Chlamydo-spores	185
	Soil	<u>P. parasitica</u>	Mycelia	268
	Soil	<u>Pythium aphanidermatum</u>	Oospores	254
	Soil	<u>P. ultimum</u>	Sporangia	5,255
	Soil	<u>Penicillium frequentans</u>	Conidia	46,47
	Agar disc	<u>P. citrinum</u>	Conidia	115
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
	Soil	<u>Fusarium solani</u>	Chlamydo-spores	84
	Soil	<u>F. solani</u>	Conidia	87
	Soil	<u>F. solani</u> f. sp. <u>phaseoli</u>	Chlamydo-spores	40,233,234
	Soil	<u>F. oxysporum</u>	Chlamydo-spores	265
	Soil	<u>F. oxysporum</u>	Conidia	87
	Soil extract	<u>F. oxysporum</u> f. sp. <u>cubense</u>	Conidia	257
	Agar disc	<u>Trichoderma koningii</u>	Conidia	235
	Agar disc	<u>T. viride</u>	Conidia	55
	Agar disc	<u>Thielaviopsis basicola</u>	Endoconidia	28
	Agar disc	<u>Pestalotia macrotricha</u>	Conidia	235
	Soil	<u>Glomerella cingulata</u>	Conidia	138
	Soil	<u>Neurospora tetrasperma</u>	Conidia	132
	Soil	<u>Helminthosporium victoriae</u>	Conidia	132
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	56
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Soil	<u>Ustilago hordei</u>	Chlamydo-spores	291	
Fructose	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Agar disc	<u>Penicillium citrinum</u>	Conidia	115
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	56
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
	Agar disc	<u>Trichoderma koningii</u>	Conidia	235
Agar disc	<u>Pestalotia macrotricha</u>	Conidia	235	
Galactose	Agar disc	<u>Penicillium citrinum</u>	Conidia	115
	Soil	<u>Cochliobolus sativus</u>	Conidia	36
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	56
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13

Arabinose	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Agar disc	<u>Penicillium citrinum</u>	Conidia	115
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	56
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
	Agar disc	<u>Trichoderma koningii</u>	Conidia	235
Xylose	Agar disc	<u>Penicillium citrinum</u>	Conidia	115
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
	Agar disc	<u>T. koningii</u>	Conidia	235
Mannose	Agar disc	<u>Penicillium citrinum</u>	Conidia	115
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	56
Sorbose	Agar disc	<u>Trichoderma viride</u>	Conidia	55
	Agar disc	<u>T. koningii</u>	Conidia	235
Ribose	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Sucrose	Soil	<u>Pythium irregulare</u>	Sporangia	274
	Soil	<u>P. ultimum</u>	Sporangia	5
	Soil	<u>Fusarium solani f. sp. phaseoli</u>	Chlamydo-spores	40, 233, 234
	Agar disc	<u>Penicillium citrinum</u>	Conidia	115
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	56
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
	Soil	<u>Ustilago hordei</u>	Chlamydo-spores	291
Maltose	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Fusarium solani f. sp. phaseoli</u>	Chlamydo-spores	233, 234
	Agar disc	<u>Penicillium citrinum</u>	Conidia	115
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
	Agar disc	<u>T. koningii</u>	Conidia	235
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Lactose	Agar disc	<u>Penicillium citrinum</u>	Conidia	115
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	56
	Agar disc	<u>Trichoderma koningii</u>	Conidia	235
Cellobiose	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	56
Raffinose	Agar disc	<u>Penicillium citrinum</u>	Conidia	115
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
	Soil	<u>Cochliobolus sativus</u>	Conidia	36
Rhamnose	Soil	<u>Aspergillus fumigatus</u>	Conidia	290

Sorbitol	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
Dulcin	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
Mannitol	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
Succinic acid	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
Citric acid	Soil	<u>Penicillium frequentans</u>	Conidia	47
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Malonic acid, Tartaric acid, Oxalic acid, Ethanol	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Acetaldehyde, Methanol, Isovaleraldehyde	Soil	<u>Sclerotium rolfsii</u>	Sclerotia	156
Shikimic acid, Quinic acid, Malic acid	Soil	<u>Fusarium oxysporum</u> f. sp. <u>lilii</u>	Chlamydo­spores	90
Vanillic acid, Coumalic acid, Cinnamic acid, Ferulic acid, Phlorizin, p-Oxybenzoic acid, Quercetin, Quercitrin	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
Chestnut tannin	Soil	<u>Thielaviopsis basicola</u>	Chlamydo­spores	200
	Soil	<u>T. basicola</u>	Endoconidia	200

Proteins and Related Compounds

Asparagine	Soil	<u>Phytophthora cinnamomi</u>	Chlamydo­spores	185
	Soil	<u>P. parasitica</u>	Mycelia	268
	Soil	<u>Pythium aphanidermatum</u>	Oospores	254
	Soil	<u>P. irregulare</u>	Sporangia	274
	Soil	<u>P. ultimum</u>	Sporangia	5
	Soil	<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Chlamydo­spores	40, 233, 234

	Soil	<u>F. oxysporum</u>	Chlamydo­spores	265
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Aspartic acid	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Chlamydo­spores	233, 234
	Agar disc	<u>F. oxysporum</u> f. sp. <u>lycopersici</u>	Conidia	157
	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	56
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
	Glutamine	Soil	<u>Pythium ultimum</u>	Sporangia
Soil		<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Chlamydo­spores	40, 234
Soil		<u>Macrophomina phaseolina</u>	Sclerotia	13
Glutamic acid	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Chlamydo­spores	233, 234
	Soil extract	<u>F. oxysporum</u> f. sp. <u>phaseoli</u> <u>subsp. cubense</u>	Conidia	257
	Agar disc	<u>F. oxysporum</u> f. sp. <u>lycopersici</u>	Conidia	157
	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	56
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Alanine	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Chlamydo­spores	234
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	56
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Arginine	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Chlamydo­spores	234
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	56
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Glycine	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Chlamydo­spores	40, 234
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Phenylalanine	Soil	<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Chlamydo­spores	40, 234
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13

Proline	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Chlamyospores	234
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Serine	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	56
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Leucine, Valine, Lysine	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Histidine	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
Threonine	Soil	<u>Pythium ultimum</u>	Sporangia	5
Cysteine	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
γ -Aminobutyric acid	Soil	<u>Pythium ultimum</u>	Sporangia	5
Peptone	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
Soy bean protein	Soil	<u>Thielaviopsis basicola</u>	Chlamyospores	200
	Soil	<u>T. basicola</u>	Endoconidia	200
<u>Lipids and Related Compounds</u>				
Linoleic acid, Palmitoleic acid, Trilinolenin, Trilinolenin, Lecithin	Soil	<u>Thielaviopsis basicola</u>	Chlamyospores	200
	Soil	<u>T. basicola</u>	Endoconidia	200
<u>Vitamins</u>				
Vitamin C	Soil	<u>Cochliobolus sativus</u>	Conidia	36, 37, 38
Vitamin E	Soil	<u>Thielaviopsis basicola</u>	Chlamyospores	200
	Soil	<u>T. basicola</u>	Endoconidia	200
<u>Mineral Salts</u>				
(NH ₄) ₂ SO ₄	Soil	<u>Phytophthora cinnamomi</u>	Chlamyospores	185
	Agar disc	<u>Penicillium citrinum</u>	Conidia	115

NH ₄ Cl	Agar disc	<u>Penicillium citrinum</u>	Conidia	115
KOH	Soil	<u>Neurospora tetrasperma</u>	Ascospores	134
	Soil extract	<u>N. tetrasperma</u>	Ascospores	135
Ca(OH) ₂	Soil	<u>Neurospora tetrasperma</u>	Ascospores	134

Mixtures and Complex Substances

Molasses	Soil	<u>Cochliobolus sativus</u>	Conidia	36, 37, 38
Yeast Extract	Soil	<u>Pythium irregulare</u>	Sporangia	274
	Soil	<u>P. ultimum</u>	Sporangia	5
	Soil	<u>Thielaviopsis basicola</u>	Chlamydo­spores	200
	Soil	<u>T. basicola</u>	Endoconidia	200
	Soil extract	<u>Fusarium oxysporum</u> f. sp. <u>cubense</u>	Conidia	257
	Agar disc	<u>Trichoderma koningii</u>	Conidia	235
	Agar disc	<u>Pestalotia macrotricha</u>	Conidia	235
Malt extract	Agar disc	<u>Trichoderma koningii</u>	Conidia	235
	Agar disc	<u>Pestalotia macrotricha</u>	Conidia	235
Aureomycin + Streptomycin	Soil	<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Chlamydo­spores	2
Penicillin + Streptomycin	Soil	<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Chlamydo­spores	40
Vancomycin + Nystatin	Soil	<u>Phytophthora cinnamomi</u>	Chlamydo­spores	185
Glucose + Vitamin C	Soil	<u>Aspergillus fumigatus</u>	Conidia	132
	Soil	<u>Penicillium frequentans</u>	Conidia	132
Glucose + Peptone	Soil	<u>Neurospora tetrasperma</u>	Conidia	134
Glucose + Asparagine	Soil	<u>Fusarium oxysporum</u>	Chlamydo­spores	247
	Soil	<u>F. oxysporum</u> f. sp. <u>batatas</u>	Chlamydo­spores	247
	Soil	<u>F. oxysporum</u> f. sp. <u>cubense</u>	Chlamydo­spores	247
	Soil	<u>F. oxysporum</u> f. sp. <u>lycopersici</u>	Chlamydo­spores	247
Sucrose + Yeast extract	Soil extract	<u>Zygorhynchus moelleri</u>	Mycelia	272
	Soil extract	<u>Pythium irregulare</u>	Mycelia	272
	Soil extract	<u>P. rostratum</u>	Mycelia	272
	Soil extract	<u>P. sylvaticum</u>	Mycelia	272
	Soil extract	<u>P. ultimum</u>	Mycelia	271
	Soil extract	<u>Trichoderma hamatum</u>	Mycelia	272
	Soil extract	<u>Fusarium oxysporum</u>	Mycelia	272
	Soil extract	<u>Penicillium janthinellum</u>	Mycelia	272
	Soil extract	<u>Gyrodon merulioides</u>	Mycelia	272

	Soil extract	<u>Cortinari</u> sp.	Mycelia	272
	Soil extract	<u>Thanatephorus praticola</u>	Mycelia	272, 273
	Soil extract	<u>Cenococcum graniforme</u>	Mycelia	272
Sucrose + (NH ₄) ₂ SO ₄	Soil	<u>Fusarium solani</u> f. sp. <u>psi</u>	Chlamydo-spores	39
Glucose + NH ₄ Cl	Soil emanation	<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Macroconidia	85
Glucose + Alanine + Glutamic acid + Glycine + Proline	Soil emanation	<u>Aspergillus flavus</u>	Conidia	85
Palmitic acid +	Soil	<u>Thielaviopsis basicola</u>	Chlamydo-spores	201
Stearic acid +	Soil	<u>T. basicola</u>	Endoconidia	201
Oleic acid + Linoleic acid + Palmitoleic acid				
(NH ₄) ₂ SO ₄ + CaH ₄ (PO ₄) ₂ + K ₂ SO ₄ + Na ₂ SO ₄ + MgSO ₄	Soil	<u>Penicillium citrinum</u>	Conidia	114
Plant organic matter	Soil	<u>Mucor silvaticus</u>	Sporangiospores	202
	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Fusarium culmorum</u>	Conidia	35
	Soil	<u>F. roseum</u>	Conidia	202
	Soil	<u>F. solani</u> f. sp. <u>phaseoli</u>	Chlamydo-spores	154, 232
	Soil	<u>Aspergillus</u> sp.	Conidia	35
	Soil	<u>A. fumigatus</u>	Conidia	138
	Soil	<u>Arthrotrichum conoides</u>	Spores	58
	Soil	<u>A. arthrotrichoides</u>	Conidia	170
	Soil	<u>Cochliobolus sativus</u>	Conidia	24, 35, 36
	Soil	<u>Cladosporium</u> sp.	Conidia	35
	Soil	<u>C. cladosporioides</u>	Conidia	202
	Soil	<u>Trichoderma</u> sp.	Conidia	35
	Soil	<u>T. viride</u>	Conidia	202
	Soil	<u>Penicillium notatum</u>	Conidia	35
	Soil	<u>P. roqueforti</u>	Conidia	202
	Soil	<u>Monospora daleae</u>	Conidia	202
	Soil	<u>Stachybotrys atra</u>	Conidia	35
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	231
	Soil	<u>Thielaviopsis basicola</u>	Chlamydo-spores	3, 200, 248, 269
	Soil	<u>T. basicola</u>	Endoconidia	3, 200
	Soil	<u>Ustilago hordei</u>	Spores	35
	Soil	<u>U. hordei</u>	Chlamydo-spores	291

Plant extracts	Soil	<u>Mucor ramanianus</u>	Mycelia	109
	Soil	<u>Phytophthora parasitica</u>	Chlamydo­spores	268
	Soil	<u>Fusarium roseum</u> f. sp. <u>cerealis</u>	Mycelia	109
	Soil	<u>F. oxysporum</u>	Chlamydo­spores	265
	Soil extract	<u>F. oxysporum</u> f. sp. <u>cubense</u>	Conidia	257
	Soil	<u>F. oxysporum</u> f. sp. <u>vasinfectum</u>	Chlamydo­spores	265
	Soil	<u>F. solani</u>	Chlamydo­spores	265
	Soil	<u>F. solani</u> f. sp. <u>phaseoli</u>	Chlamydo­spores	265, 266
	Soil	<u>F. solani</u> f. sp. <u>psii</u>	Mycelia	109
	Soil	<u>Cochliobolus sativus</u>	Conidia	24, 36
	Soil	<u>C. sativus</u>	Mycelia	109
	Soil	<u>Thielaviopsis basicola</u>	Chlamydo­spores	200, 249, 269
	Soil	<u>T. basicola</u>	Endoconidia	200
	Soil	<u>T. basicola</u>	Mycelia	109
	Soil	<u>Sclerotium rolfsii</u>	Sclerotia	156
	Soil	<u>Alternaria alternata</u>	Mycelia	109
	Soil	<u>Aspergillus fumigatus</u>	Mycelia	109
	Soil	<u>A. terreus</u>	Mycelia	109
	Soil	<u>A. ustus</u>	Mycelia	109
	Soil	<u>Botrytis cinerea</u>	Mycelia	109
	Soil	<u>Curvularia lunata</u>	Mycelia	109
	Soil	<u>Glomerella cingulata</u>	Mycelia	109
	Soil	<u>Helminthosporium victoriae</u>	Mycelia	109
	Soil	<u>Myrothecium verrucaria</u>	Mycelia	109
	Soil	<u>Neurospora tetrasperma</u>	Mycelia	109
	Soil	<u>Penicillium frequentans</u>	Mycelia	109
	Soil	<u>P. variabile</u>	Mycelia	109
	Soil	<u>Stemphylium sarcinae-forme</u>	Mycelia	109
	Soil	<u>Trichoderma viride</u>	Mycelia	109
	Soil	<u>Verticillium albo-atrum</u>	Mycelia	109
Plant exudates	Soil	<u>Pythium aphanidermatum</u>	Oospores	254
	Soil	<u>P. aphanidermatum</u>	Sporangia	254
	Soil	<u>P. ultimum</u>	Sporangia	255
	Soil	<u>Cochliobolus sativus</u>	Conidia	38
	Soil	<u>Fusarium solani</u>	Conidia	113
	Soil	<u>F. solani</u>	Chlamydo­spores	113
	Soil	<u>F. solani</u> f. sp. <u>phaseoli</u>	Chlamydo­spores	232, 233
	Soil	<u>F. solani</u> s. sp. <u>psii</u>	Chlamydo­spores	39
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	231
	Soil	<u>Gliocladium roseum</u>	Conidia	113
	Soil	<u>Paecilomyces marquandii</u>	Conidia	113
Animal organic matter and secretion	Soil	<u>Arthrobotrys conoides</u>	Spores	58
	Soil	<u>Cochliobolus sativus</u>	Conidia	36
	Soil	<u>Penicillium citrinum</u>	Conidia	114

II. FUNGISTASIS INCREASED

Carbohydrates and Related Compounds

Glucose, Fructose, Galactose, Mannose, Arabinose, Xylose, Sorbitol, Maltose, Sucrose, Lactose, Raffinose, Inulin, Mannitol, Sorbitol,	Soil	<u>Sphacelotheca reiliana</u>	Spores	143
Cellulose	Soil	<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Chlamydo-spores	4
Chitin ,	Soil	<u>Verticillium dahliae</u>	Conidia	121
Laminarin	Soil	<u>V. dahliae</u>	Microsclerotia	121
	Soil	<u>V. dahliae</u>	Mycelia	121

Proteins and Related Compounds

Asparagine	Soil	<u>Phytophthora parasitica</u>	Chlamydo-spores	268
------------	------	--------------------------------	-----------------	-----

Mineral salts

CaO	Soil	<u>Zygorhynchus vuilleminii</u>	Spores	105
	Soil	<u>Penicillium chrysogenum</u>	Conidia	105
	Soil	<u>Trichiderma viride</u>	Conidia	105
CaCO ₃	Soil	<u>Sphacelotheca reiliana</u>	Spores	143
NH ₄ NO ₃	Soil	<u>Phytophthora parasitica</u>	Chlamydo-spores	268
	Soil	<u>Sclerotium rolfsii</u>	Sclerotia	12

Mixtures and Complex Substances

Amino acids	Soil	<u>Sphacelotheca reiliana</u>	Spores	143
Plant organic matter	Soil	<u>Verticillium albo-atrum</u>	Conidia	207
	Soil	<u>V. dahliae</u>	Conidia	121
	Soil	<u>V. dahliae</u>	Microsclerotia	121
	Soil	<u>V. dahliae</u>	Mycelia	121
	Soil	<u>Arthrotrypis arthrobo- tryoides</u>	Conidia	170
Animal organic matter and secretions	soil	<u>Arthrotrypis arthrobo- tryoides</u>	Conidia	170

III. FUNGISTASIS NOT AFFECTED

Carbohydrates and Related Compounds

Glucose	Soil	<u>Phytophthora parasitica</u>	Chlamydo­spores	268
	Agar disc	<u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u>	Conidia	157
	Soil	<u>F. decemcellulare</u>	Conidia	87
	Soil	<u>R. roseum</u>	Conidia	202
	Soil	<u>F. solani</u>	Conidia	87
	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
	Soil	<u>P. frequentans</u>	Conidia	87, 152
	Soil	<u>P. roqueforti</u>	Conidia	202
	Soil	<u>Arthro­bortys conoides</u>	Spores	58
	Soil	<u>Aspergillus fumigatus</u>	Conidia	132
	Soil	<u>Thielaviopsis basicola</u>	Chlamydo­spores	200
	Soil	<u>T. basicola</u>	Endoconidia	200
	Soil	<u>Trichoderma viride</u>	Conidia	202
	Soil	<u>Cladosporium cladosporioides</u>	Conidia	202
	Soil	<u>Monotospora daleae</u>	Conidia	202
	Soil	<u>Cochliobolus sativus</u>	Conidia	36
Fructose	Soil	<u>C. sativus</u>	Conidia	36
	Soil	<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Chlamydo­spores	234
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
Arabinose	Soil	<u>Cochliobolus sativus</u>	Conidia	24, 36, 27
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
	Agar disc	<u>Pestalotia macrotricha</u>	Conidia	235
Xylose	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Cochliobolus sativus</u>	Conidia	36
	Agar disc	<u>Pestalotia macrotricha</u>	Conidia	235
Mannose	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
	Soil	<u>Cochliobolus sativus</u>	Conidia	36
Sorbose	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Agar disc	<u>Pestalotia macrotricha</u>	Conidia	235
Ribose	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	56
Sucrose	Soil	<u>Cochliobolus sativus</u>	Conidia	36
	Soil	<u>Glomerella cingulata</u>	Conidia	157
	Soil	<u>Penicillium frequentans</u>	Conidia	157
	Soil	<u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u>	Conidia	157
Maltose	Agar disc	<u>Pestalotia macrotricha</u>	Conidia	235

Lactose	Soil	<u>Cochliobolus sativus</u>	Conidia	36
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
	Agar disc	<u>Pestalotia macrotricha</u>	Conidia	235
Melibiose	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Cochliobolus sativus</u>	Conidia	36
Raffinose	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
Rhamnose	Soil	<u>Pythium ultimum</u>	Sporangia	5
Sorbitol	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
	Agar disc	<u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u>	Conidia	157
Cellulose	Soil	<u>Sphacelotheca reiliana</u>	Spores	143
Starch	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Cochliobolus sativus</u>	Conidia	36
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
	Soil	<u>Sphacelotheca reiliana</u>	Spores	143
	Soil	<u>Ustilago hordei</u>	Chlamydospores	291
Glycogen, Inulin, Arbutin	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
Dextrin	Soil	<u>Pythium ultimum</u>	Sporangia	5
Agar	Soil	<u>Cochliobolus sativus</u>	Conidia	36
Citric acid	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Cochliobolus sativus</u>	Conidia	36
	Soil	<u>Fusarium oxysporum</u> f. sp. <u>lilii</u>	Chlamydospores	90
Malonic acid, Fumaric acid	Soil	<u>Pythium ultimum</u>	Sporangia	5
Lactic acid, Tartaric acid, Sodium acetate, Sodium pyruvate	Soil	<u>Cochliobolus sativus</u>	Conidia	36
Galacturonic acid, Glyceraldehyde	Soil	<u>Verticillium albo-atrum</u>	Microsclerotia	56
Isobutyraldehyde	Soil	<u>Scerotium rolfsii</u>	Sclerotia	156

Methanol	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Naphthalene, acetic acid, Indolebutyric acid, Indoleacetic acid	Soil	<u>Cochliobolus sativus</u>	Conidia	36

Proteins and Related Compounds

Asparagine	Soil	<u>Cochliobolus sativus</u>	Conidia	36
	Soil	<u>Penicillium frequentans</u>	Conidia	46, 47
	Agar disc	<u>P. citrinum</u>	Conidia	115
	Soil	<u>Thielaviopsis basicola</u>	Chlamydo­spores	200
	Soil	<u>T. basicola</u>	Endoconidia	200
Aspartic acid	Soil	<u>Cochliobolus sativus</u>	Conidia	36
Glutamic acid	Soil	<u>Cochliobolus sativus</u>	Conidia	36
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
Alanine	Soil	<u>Cochliobolus sativus</u>	Conidia	36
	Agar disc	<u>Penicillium citrinum</u>	Conidia	115
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
Arginine	Agar disc	<u>Trichoderma viride</u>	Conidia	55
Glycine	Soil	<u>Cochliobolus sativus</u>	Conidia	36
	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Fusarium oxysporum f. sp. lycopersici</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
Phenylalanine	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Fusarium oxysporum f. sp. lycopersici</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
	Proline	Soil	<u>Aspergillus fumigatus</u>	Conidia
Agar disc		<u>Trichoderma viride</u>	Conidia	55
Serine	Soil	<u>Fusarium solani f. sp. phaseoli</u>	Chlamydo­spores	234
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
Leucine	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
	Soil	<u>Fusarium solani f. sp. phaseoli</u>	Chlamydo­spores	234
	Agar disc	<u>Penicillium citrinum</u>	Conidia	115
	Agar disc	<u>Trichoderma viride</u>	Conidia	55

Isoleucine	Soil	<u>Fusarium solani f. sp. phaseoli</u>	Chlamydospores	234
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
Valine	Soil	<u>Fusarium solani f. sp. phaseoli</u>	Chlamydospores	234
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
Lysine	Soil	<u>Cochliobolus sativus</u>	Conidia	36
	Soil	<u>Fusarium solani f. sp. phaseoli</u>	Chlamydospores	234
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
Histidine	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
	Agar disc	<u>Fusarium oxysporum f. sp. lycopersici</u>	Conidia	157
	Soil	<u>F. solani f. sp. phaseoli</u>	Chlamydospores	234
Cystine	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
	Agar disc	<u>Fusarium oxysporum f. sp. lycopersici</u>	Conidia	157
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Cysteine	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
	Agar disc	<u>Fusarium oxysporum f. sp. lycopersici</u>	Conidia	157
Tyrosine	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
	Agar disc	<u>Fusarium oxysporum f. sp. lycopersici</u>	Conidia	157
	Soil	<u>F. solani f. sp. phaseoli</u>	Chlamydospores	234
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
Threonine	Soil	<u>Fusarium oxysporum f. sp. lycopersici</u>	Chlamydospores	234
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
Tryptophane	Soil	<u>Fusarium oxysporum f. sp. lycopersici</u>	Chlamydospores	234
	Soil	<u>Aspergillus fumigatus</u>	Conidia	290
	Agar disc	<u>Trichoderma viride</u>	Conidia	55
Methionine	Agar disc	<u>Trichoderma viride</u>	Conidia	55
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
	Agar disc	<u>Fusarium oxysporum f. sp. lycopersici</u>	Conidia	157

Aminobutyric acid, Aminoadipic acid, Pipelicolic acid	Soil	<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Chlamydo­spores	234
Urea	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
Peptone	Soil	<u>Cochliobolus sativus</u>	Conidia	36
	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
	Agar disc	<u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u>	Conidia	157
	Agar disc	<u>Penicillium citrinum</u>	Conidia	115
Zein	Soil	<u>Thielaviopsis basicola</u>	Chlamydo­spores	200
	Soil	<u>T. basicola</u>	Endoconidia	200
Casein, Albumin	Soil	<u>Cochliobolus sativus</u>	Conidia	36
<u>Lipids and Related Compounds</u>				
Synthetic lecithin	Soil	<u>Thielaviopsis basicola</u>	Chlamydo­spores	200
	Soil	<u>T. basicola</u>	Endoconidia	200
Oils	Soil	<u>Cochliobolus sativus</u>	Conidia	36
<u>Vitamins and Related Compounds</u>				
Vitamin Bx	Agar disc	<u>Glomerella cingulata</u>	Conidia	157
	Agar disc	<u>Penicillium frequentans</u>	Conidia	157
	Agar disc	<u>Fusarium oxysporum</u> f. sp. <u>lycopersici</u>	Conidia	157
	Soil	<u>Cochliobolus sativus</u>	Conidia	36
Vitamin B ₁ , Vitamin B ₅ , Vitamin B ₆ , Vitamin B ₁₂ , Vitamin E, Vitamin G, Vitamin H, Niacin	Soil	<u>Cochliobolus sativus</u>	Conidia	36
<u>Mineral Salts</u>				
CaO	Soil	<u>Gonatobotrys simplex</u>	Conidia	105
CaCO ₃	Soil	<u>Fusarium culmorum</u>	Spores	127
Ca(OH) ₂	Soil	<u>Arthrobotrys conoides</u>	Spores	58
	Soil	<u>Neurospora tetrasperma</u>	Conidia	134

HCl	Soil	<u>Cochliobolus sativus</u>	Conidia	38
H ₃ PO ₄	Soil	<u>Fusarium oxysporum</u> f. sp. <u>lilii</u>	Chlamydo spores	90
KOH	Soil	<u>Neurospora tetrasperma</u>	Conidia	134
NaNO ₂	Soil	<u>Pythium ultimum</u>	Sporangia	5
NaNO ₃	Soil	<u>Mucor silvaticus</u>	Sporangiospores	202
	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Fusarium roseum</u>	Conidia	202
	Soil	<u>Penicillium roqueforti</u>	Conidia	202
	Soil	<u>Trichoderma viride</u>	Conidia	202
	Soil	<u>Cladosporium cladosporioides</u>	Conidia	202
	Soil	<u>Monotospora daleae</u>	Conidia	202
NH ₄ NO ₃	Soil	<u>Pythium ultimum</u>	Sporangia	5
	Soil	<u>Thielaviopsis basicola</u>	Chlamydo spores	200
	Soil	<u>T. basicola</u>	Endoconidia	200
	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
KNO ₃ , (NH ₄) ₂ SO ₄	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13
	Soil	<u>Fusarium solani</u> f. sp. <u>phaseoli</u>	Chlamydo spores	40
KNO ₂ , K ₂ SO ₄ , MgSO ₄ , K ₂ HPO ₄ , (NH ₄) ₂ HPO ₄	Soil	<u>Macrophomina phaseolina</u>	Sclerotia	13

Mixtures and Complex Substances

Casamino acids	Agar disc	<u>Penicillium citrinum</u>	Conidia	115
	Soil	<u>Thielaviopsis basicola</u>	Chlamydo spores	200
	Soil	<u>T. basicola</u>	Endoconidia	200
	Soil	<u>Cochliobolus sativus</u>	Conidia	36
Sucrose + Yeast extract	Soil extract	<u>Alternaria alternata</u>	Mycelia	273
	Soil extract	<u>Gliocladium fimbriatum</u>	Mycelia	273
	Soil extract	<u>Agaricus silvicola</u>	Mycelia	273
Glucose + Peptone	Soil	<u>Mucor ramanianus</u>	Sporangiospores	136
	Soil emanation	<u>M. ramanianus</u>	Sporangiospores	136
	Soil	<u>Aspergillus fumigatus</u>	Conidia	136
	Soil emanation	<u>A. fumigatus</u>	Conidia	136
	Soil	<u>Penicillium frequentans</u>	Conidia	136
	Soil emanation	<u>P. frequentans</u>	Conidia	136
	Soil	<u>Trichoderma viride</u>	Conidia	136
Soil emanation	<u>T. viride</u>	Conidia	136	

Mineral salts	Soil	<u>Penicillium frequentans</u>	Conidia	47
	Soil	<u>Sphacelotheca reiliana</u>	Spores	143
Plant organic matter	Soil	<u>Ustilago nuda</u>	Spores	35
	Soil	<u>U. hordei</u>	Chlamydo-spores	291
	Soil	<u>F. solani f. sp. phaseoli</u>	Chlamydo-spores	4
	Soil	<u>Arthrotrys conoides</u>	Spores	58
Animal organic matter and secretions	Soil	<u>Cochliobolus sativus</u>	Conidia	36
	Soil	<u>Arthrotrys conoides</u>	Spores	58
	Soil	<u>Fusarium culmorum</u>	Spores	127

TABLE 3. Effects of Nutritional Factors on Soil Actinostasis

Nutritional factor	Material		Reference
	Amended with nutrients	Test Microorganisms	
I. ACTINOSTASIS DECREASED			
Glucose	Agar disc	<u>Nocardia</u> spp.	30
	Soil	<u>Streptomyces</u> spp.	177
Peptone	Soil	<u>Streptomyces</u> spp.	159
Peptone + yeast extract	Agar disc	<u>Nocardia</u> spp.	44
Casamino acids, Chitin	Soil	<u>Streptomyces</u> sp.	294
Plant exudates	Agar disc	<u>Nocardia</u> spp.	30
Plant organic matter	Soil	An actinomycete	35
	Soil	<u>Streptomyces</u> sp.	294
II. ACTINOSTASIS DECREASED			
Glucose	Soil	<u>Streptomyces</u> sp.	294
Plant organic matter, Animal secretions	Soil	<u>Streptomyces cellulosa</u> e	127
III. ACTINOSTASIS NOT AFFECTED			
Fructose Sucrose, Casamino acids, Yeast extract	Agar disc	<u>Nocardia</u> spp.	30
	Soil	<u>Streptomyces</u> sp.	294
CaCO ₃	Soil	<u>Streptomyces cellulosa</u> e	127

TABLE 4. Effects of Nutritional Factors on Soil Bacteriostasis

Nutritional factor	Material Amended with Nutrients	Test Microorganisms	Reference
I. BACTERIOSTASIS DECREASED			
Glucose	Agar disc	<u>Achromobacter</u> spp.	30
	Agar disc	<u>Alcaligenes</u> spp.	30
	Agar disc	<u>Pseudomonas</u> spp.	30
	Agar disc	<u>Flavobacterium</u> spp.	30
	Agar disc	<u>Brevibacterium</u> spp.	30
	Agar disc	<u>Arthrobacter</u> spp.	30
	Soil	<u>Escherichia coli</u>	131
	Soil	<u>Bdellovibrio bacteriovorus</u>	131
Mannitol	Soil	<u>Azotobacter chroococcum</u>	126
Peptone	Soil extract	<u>Bacillus prodigiosus</u>	108
Casein	Soil	<u>Bacillus thuringiensis</u>	221
Glucose + peptone	Soil	<u>Agrobacterium radiobacter</u>	13
Peptone + yeast extract	Agar disc	<u>Achromobacter</u> spp.	44
	Agar disc	<u>Arthrobacter</u> spp	44
	Agar disc	<u>Bacillus</u> sp.	43, 44
	Agar disc	<u>Pseudomonas</u> spp	44
	Agar disc	<u>Sarcina</u> sp.	44
Plant exudates	Agar disc	<u>Achromobacter</u> spp.	30
	Agar disc	<u>Alcaligenes</u> spp.	30
	Agar disc	<u>Pseudomonas</u> spp.	30
	Agar disc	<u>Flavobacterium</u> spp.	30
	Agar disc	<u>Brevibacterium</u> spp.	30
	Agar disc	<u>Arthrobacter</u> spp.	30
Plant organic matter	Soil	<u>Pseudomonas fluorescens</u>	127
	Soil	<u>Azotobacter chroococcum</u>	126
	Soil	<u>Bacillus thuringiensis</u>	221
Animal organic matter and secretion	Soil	<u>Pseudomonas fluorescens</u>	127
	Soil	<u>Azotobacter chroococcum</u>	126
CaCO ₃	Soil	<u>Bacillus prodigiosus</u>	108
	Soil	<u>Azotobacter chroococcum</u>	126

MgCO ₃ + Na ₂ MoO ₄	Soil	<u>Azotobacter chroococcum</u>	126
Mineral salts	Agar disc	<u>Achromobacter</u> spp.	30
	Agar disc	<u>Alcaligenes</u> spp	30
	Agar disc	<u>Pseudomonas</u> spp.	30
	Agar disc	<u>Flavobacterium</u> spp.	30
	Agar disc	<u>Brevibacterium</u> spp.	30
	Agar disc	<u>Arthrobacter</u> spp.	30

II. BACTERIOSTASIS NOT AFFECTED

Fructose, Sucrose, Casamino acids, Yeast extract	Agar disc	<u>Achromobacter</u> spp.	30
	Agar disc	<u>Alcaligenes</u> spp.	30
	Agar disc	<u>Pseudomonas</u> spp.	30
	Agar disc	<u>Flavobacterium</u> spp.	30
	Agar disc	<u>Brevibacterium</u> spp.	30
	Agar disc	<u>Arthrobacter</u> spp.	30
Animal organic matter	Soil	<u>Azotobacter chroococcum</u>	126
CaCO ₃	Soil	<u>Pseudomonas fluorescens</u>	127
NH ₄ NO ₃	Soil	<u>Escherichia coli</u>	131
NaMoO ₄ , K ₂ HPO ₄ , CaH ₄ (PO ₄) ₂ , MgCO ₃	Soil	<u>Azotobacter chroococcum</u>	126

REFERENCES

1. Abraham, E. P., and E. Chain. 1940. An enzyme from bacteria able to destroy penicillin. *Nature* 146:837.
2. Adams, P. B., J. A. Lewis, and G. C. Papavizas. 1968. Survival of root-infecting fungi in soil IV. The nature of fungistasis in natural and cellulose-amended soil on chlamydo-spores of *Fusarium solani* f. sp. *phaseoli*. *Phytopathology* 58:378-383.
3. _____, and G. C. Papavizas. 1969. Survival of root-infecting fungi in soil X. Sensitivity of propagules of *Thielaviopsis basicola* to soil fungistasis in natural and alfalfa-amended soil. *Phytopathology* 59:135-138.
4. _____, _____, and J. A. Lewis. 1968. Survival of root-infecting fungi in soil III. The effect of cellulose amendment on chlamydo-spore germination of *Fusarium solani* f. sp. *phaseoli* in soil. *Phytopathology* 58:373-377.
5. Agnihotri, V. P., and O. Vaartaja. 1967. Effects of amendments, soil moisture contents, and temperatures on germination of *Pythium* sporangia under the influence of soil myco-stasis. *Phytopathology* 57:1116-1120.
6. Albert, A., S. D. Rubbo, R. J. Goldacre, and B. G. Balfour. 1947. The influence of chemical constitution on antibacterial activity, Part III. A study of 8-hydroxyquinoline (oxine) and related compounds. *Br. J. Exp. Pathol.* 28:69-87.
7. Alexander, A. E., and M. A. Soltys. 1946. The influence of surface-active substances on the growth of acid-fast bacteria. *J. Pathol. Bacteriol.* 58:37-42.
8. Anderson, B. I., and R. J. Swaby. 1951. Factors influencing the fungistatic action of 8-hydroxyquinoline (oxine) and its metal complexes. *Aust. J. Sci. Res.* 41:275-282.
9. Anton, A. H. 1960. The relation between the binding of sulfonamides to albumin and their antibacterial efficacy. *J. Pharmacol. Exp. Ther.* 129:282-290.
10. Assandri, A., A. Perrazzi, and M. Berti. 1977. Studies of binding C₃-substitute rifamycins to human and bovine serum albumin. *J. Antibiot.* 30:409-415.
11. Auhagen, E. 1943. p-Aminobenzoic-l-glutaminsäure, ein gegen Sulfonamide wirksameres Derivat des Vitamin H, Versuche an *Streptobacterium plantarum*: *Z. Physiol. Chem.* 277:197-204.
12. Avisohar-Hershenzon, Z., and P. Shacked. 1969. Studies on the mode of action of inorganic nitrogenous amendments on *Sclerotium rolfsii* in soil. *Phytopathology* 59:288-292.
13. Ayansu, D. K. G., and R. J. Green, Jr. 1974. Alteration of germination patterns of sclerotia of *Macrophomina phaseolina* on soil surfaces. *Phytopathology* 64:595-601.
14. Bailey, J. H., and C. J. Cavallito. 1948. The reversal of antibiotic action. *J. Bacteriol.* 55:175-182.
15. _____, and _____. 1950. The effect of aliphatic acids on the activity of certain antibacterial agents. *J. Bacteriol.* 60:269-274.
16. Barker, H. E. R. 1948. Cationic-anoinic incompatibility and ointments containing cation active antiseptics. *Aust. J. Pharm.* 29:801-807.
17. _____. 1949. The effect of agar on the bacteriostatic activities of acridine. *Aust. J. Pharm.* 30:573.
18. Benveniste, R., and J. Davies. 1971. Enzymatic acetylation of aminoglycoside antibiotics by *Escherichia coli* carrying an R factor. *Biochemistry* 10:1787-1796.
19. Bernheim, F. 1954. The effect of certain metal ions and chelating agents on the formation of an adaptive enzyme in *Pseudomonas aeruginosa*. *Enzymologia* 16:351-354.
20. Best, G. K., and N. N. Durham. 1964. Effect of vancomycin on *Bacillus subtilis*. *Arch. Biochem. Biophys.* 105:120-125.
21. Bichowsky, L. 1944. The anti-diamidine activity of sodium nucleate. *Proc. Soc. Exp. Biol. Med.* 57:163-164.
22. Biedermann, W., and E. Müller. 1951. Die Inaktivierung des gelösten kupfers (II) in Fungiziden. *Phytopathol. Z.* 18:307-338.
23. Block, S. S. 1956. Reversal of fungitoxicity of copper-8-quinolinolate. *J. Agric. Food Chem.* 4:1042-1046.
24. Boosalis, M. G. 1962. Precocious sporulation and longevity of conidia of *Helminthosporium sativum* in soil. *Phytopathology* 52:1172-1177.
25. Boroff, D. A., A. Cooper, and J. G. M. Bullowa. 1942. Inhibition of sulfapyridine in human serum, exudates and transudates. *J. Immunol.*

- 43:341-348.
26. Bondi, A., J. Kornblum, and C. Forte. 1957. Inhibition of antibacterial activity of cycloserine by alpha-alanine. *Proc. Soc. Exp. Biol. Med.* 96:270-272.
 27. Bradley, S. G. 1958. Interaction between phosphate and nystatin in *Candida stellatoidea*. *Proc. Soc. Exp. Biol. Med.* 98:786-789.
 28. Bristow, P. R., and J. L. Lockwood. 1975. Soil fungistasis: role of the microbial nutrient sink and of fungistatic substances in two soils. *J. Gen. Microbiol.* 90:147-156.
 29. Brody, T. M. 1955. The uncoupling of oxidation phosphorylation as a mechanism of drug action. *Pharmacol. Rev.* 7:335-363.
 30. Brown, M. E. 1973. Soil bacteriostasis limitation in growth of soil and rhizosphere bacteria. *Can. J. Microbiol.* 19:195-199.
 31. Brzezinska, M., R. Benveniste, J. Davies, P. J. L. Daniel, and J. Weinstein. 1972. Gentamicin resistance in strains of *Pseudomonas aeruginosa* mediated by enzymatic N-acetylation of the deoxystreptamine moiety. *Biochemistry* 11:761-766.
 32. Buston, H. W., S. E. Jacobs, and A. Goldstein. 1946. Cause of physiological activity of "Grammexane." *Nature* 158:22.
 33. Byrde, R. J. W., and D. Woodcock. 1957. Effect of the interaction between chelating agents on their fungitoxicity. *Nature* 179:539.
 34. Carreira, J., and E. Munoz. 1977. Effect of Atebrin on bacterial membrane adenosine triphosphatases in relation to the divalent cation used as substrate and/or activator. *Antimicrob. Agents Chemother.* 11:38-43.
 35. Chinn, S. H. F. 1954. A slide technique for the study of fungi and actinomycetes in soil with special reference to *Helminthosporium sativum*. *Can. J. Bot.* 31:718-724.
 36. _____, and R. J. Ledingham. 1957. Studies on the influence of various substances on the germination of *Helminthosporium sativum* spores in soil. *Can. J. Bot.* 35:697-701.
 37. _____, and _____. 1961. Mechanisms contributing to the eradication of spores of *Helminthosporium sativum* from amended soil. *Can. J. Bot.* 39:739-748.
 38. _____, and _____. 1967. Influence of substances and soil treatments on the germination of spores of *Cochliobolus sativus*. *Phytopathology* 57:580-583.
 39. Cook, R. J., and N. T. Flentje. 1967. Chlamydo-spores germination and germling survival of *Fusarium solani* f. *pisi* in soil as affected by soil water and pea seed exudation. *Phytopathology* 57:178-182.
 40. _____, and M. N. Schroth. 1965. Carbon and nitrogen compounds and germination of chlamydo-spores of *Fusarium solani* f. *phaseoli*. *Phytopathology* 55:254-256.
 41. D'amato, R. F., C. Thornsberry, C. N. Baker, and L. A. Kirven. 1975. Effect of calcium and magnesium ions on the susceptibility of *Pseudomonas* species to tetracycline, gentamicin, polymyxin B, and carbenicillin. *Antimicrob. Agents Chemother.* 7:596-600.
 42. Davis, B. D. 1942. Binding of sulfonamides by plasma protein. *Science* 95:78.
 43. Davis, R. D. 1975. Soil bacteriostasis: inhibition of spore germination and microcolony development in agar discs incubated on non-sterile soils. *Can. J. Microbiol.* 21:1270-1272.
 44. _____. 1976. Soil bacteriostasis: relation to bacterial nutrition and active soil inhibition. *Soil Biol. Biochem.* 8:429-433.
 45. Dimond, N. S. 1941. p-Aminobenzoic acid prevents the growth-inhibitory action of sulfanilamide. *Science* 94:420-421.
 46. Dobbs, C. G., and W. H. Hinson. 1953. A widespread fungistasis in soils. *Nature* 172:197-199.
 47. _____, _____, and J. Bywate. 1960. Inhibition of fungal growth in soils, in *The Ecology of Soil Fungi*, Parkinson, D., and J. S. Waid, Eds. Liverpool University Press, Liverpool, England. 130-147.
 48. Donovick, R., A. P. Bayan, P. Canales, and F. Pansy. 1948. Differential effects of various electrolytes on the action of streptomycin. *J. Bacteriol.* 56:125-137.
 49. Doremann, A. H. 1944. A lysineless mutant of *Neurospora* and its inhibition by arginine. *Arch. Biochem.* 5:373-384.
 50. Dunn, C. L., K. I. Benyon, K. F. Brown, and J. T. W. Montagne. 1971. The effect of glucose in leaf exudates upon the biological activity of some fungicides, in *Ecology of Leaf Surface Micro-organisms*, Preese, T. G., and C. H. Dickinson, Eds. Academic Press, New York. 491-507.
 51. Durham, N. N. 1963. Inhibition of microbial growth and separation by D-serine, vanco-

- mycin and mitomycin C. *J. Bacteriol.* 86:380-386.
52. Duschinsky, R., and S. H. Rubin. 1948. The synthesis and biological activity of 4-methyl-5-(E-sulfoamyl)-2-imidazolidone, a sulfonic acid analog of desthiobiotin. *J. Am. Chem. Soc.* 70:2546-2547.
 53. Eagle, H. 1939. The effect of sulphydryl compounds on the antispore action of arsenic, bismuth and mercury compounds in vitro. *J. Pharmacol. Exp. Ther.* 66:436-448.
 54. Ely, J. O. 1939. The evaluation of germicide by the manometric method. *J. Bacteriol.* 38:391-400.
 55. Emmatty, D. A., and R. J. Green, Jr., 1967. The role of nutrients and pH in reversing fungistasis of conidia of *Trichoderma viride*. *Can. J. Microbiol.* 13:635-642.
 56. _____, and _____. 1969. Fungistasis and the behavior of the microsclerotia of *Verticillium albo-atrum* in soil. *Phytopathology* 59:1590-1595.
 57. Emerson, S., and J. E. Cushing. 1946. Altered sulfonamide antagonism in *Neurospora*. *Fed. Proc.* 5:379-389.
 58. Eren, J., and D. Pramer. 1968. Use of a fluorescent brightener as aid to studies of fungistasis and nematophagous fungi in soil. *Phytopathology* 58:644-646.
 59. Erlenmeyer, H., J. Bäumber, and W. Roth. 1953. Metallkomplexe und tubeikulostatische Aktivität. *Helv. Chim. Acta.* 36:941-949.
 60. Feeney, R. E. 1951. The antagonistic activities of conalbumin and 8-hydroxyquinoline (oxine). *Arch. Biochem.* 34:196-208.
 61. Fildes, P. 1941. Inhibition of bacterial growth by indoleacrylic acid and its relation to tryptophan: an illustration of the inhibitory action of substances chemically related to an essential metabolite. *Br. J. Exp. Pathol.* 22:293-298.
 62. Fisher, M. W. 1954. The antagonism of the tuberculostatic action of isoniazid by hemin. *Am. Rev. Respir. Dis.* 69:469-470.
 63. Fitzgerald, R. J., and W. H. Feinstone. 1943. Nature of the activity of sulfonamides for the tubercle bacillus. *Proc. Soc. Exp. Biol. Med.* 52:27-30.
 64. Fong, I. W., E. R. Engelking, and W. M. Kirby. 1976. Relative inactivation by *Staphylococcus aureus* of eight cephalosporin antibiotics. *Antimicrob. Agents Chemother.* 9:939-944.
 65. Foster, J. W., and R. F. Pittillo. 1953. Reversal by complex natural materials of growth inhibition caused by antibiotics. *J. Bacteriol.* 65:361-367.
 66. _____, and _____. 1953. Metabolite reversal of antibiotic inhibition, especially reversal of aureomycin inhibition by riboflavin. *J. Bacteriol.* 66:478-486.
 67. Freese, E., and J. Ooslerwyk. 1963. The induction of alanine dehydrogenase. *Biochemistry* 2:1212-1216.
 68. Fries, N., and A. Panders. 1950. The growth-inhibiting effect of 5-amino-7-hydroxytriazolopyrimidine in fungi and its reversal by purines. *Ark. Bot., 2nd Ser.* 1:437-444.
 69. Fuller, A. T., L. Colebrook, and W. R. Maxted. 1940. The mode of action of sulfanilamide. *J. Pathol. Bacteriol.* 51:105-125.
 70. Gale, E. F. 1949. Trace metals in glutamic acid assimilation and their inactivation by 8-hydroxyquinoline. *J. Gen. Microbiol.* 3:369-384.
 71. Geiger, W. B., and J. S. Conn. 1945. The mechanism of the antibiotic action of clavacin and penicillic acid. *J. Am. Chem. Soc.* 67:112-116.
 72. Ghosh, A., and J. J. Ghosh. 1963. Effect of nystatin and amphotericin B on the growth of *Candida albicans*. *Ann. Biochem. Exp. Med.* 23:29-44.
 73. Goksoyr, J. 1955. The effect of some dithiocarbamyl compounds on the metabolism of fungi. *Physiol. Plant.* 8:719-835.
 74. _____. 1955. Reversal of the fungicidal effect of dithiocarbamyl compounds. *Nature* 175:820-821.
 75. Goth, A. 1946. The effect of cobalt on the anti-tubercular activity of aspergillic acid. *Fed. Proc.* 5:180.
 76. _____. 1946. Potentiation of the antibiotic activity of aspergillic acid by bismuth. *Science* 104:330.
 77. Gottlieb, D. 1957. The effect of metabolites on antimicrobial agents. *Phytopathology* 47:59-67.
 78. _____, H. E. Carter, J. H. Sloneker, and A. Aurmann. 1958. Protection of fungi against polyene antibiotics by sterols. *Science* 128:361.
 79. _____, _____, L. C. Wu, and J. H. Sloneker. 1960. Inhibition of fungi by filipin and its antagonism by sterols. *Phytopathology* 50:

- 594-603.
80. Gourevitch, A., T. A. Pursians, and J. Lein. 1961. Destruction of mitomycin by *Streptomyces caespitosus* mycelia. Arch. Biochem. Biophys. 93:283-285.
 81. Gray, P. H. H., and L. J. Taylor. 1952. Inhibition of the bacteriostatic action of laurylamine saccharinate by organic matter. Can. J. Bot. 30:674-681.
 82. Green, M. N. 1948. The effect of furacin (5-nitro-2-furaldehyde semicarbazone) on the metabolism of bacteria. Arch. Biochem. 19:397-406.
 83. Greenburg, J. 1960. A factor in agar which reverses the antimicrobial activity of 1-methyl-3-nitro-1-nitrosoguanidine. Nature 188:660.
 84. Griffin, G. J. 1973. Modification of the exogenous carbon and nitrogen requirements for chlamydospore germination of *Fusarium solani* by contact with soil. Can. J. Microbiol. 19:999-1005.
 85. ———, T. S. Hora, and R. Baker. 1975. Soil fungistasis: elevation of the exogenous carbon and nitrogen requirements for spore germination by fungistatic volatiles in soils. Can. J. Microbiol. 21:1468-1475.
 86. Griffiths, D. A. 1966. Vertical distribution of mycostasis in Malayan soils. Can. J. Microbiol. 12:149-163.
 87. ———. 1966. Sensitivity of Malayan isolates of *Fusarium* to soil fungistasis. Plant Soil 24:269-278.
 88. Gundersen, K. 1962. The action mechanism of cycloheximide in *Fomes annosus*. Acta. Horti. Gotob. 25:33-63.
 89. Hamada, Y., M. Kawashima, A. Miyake, and K. Okamoto. 1953. Antiacidomycin factor in rabbit's urine observed by cylinder plate method. J. Antibiot. Ser. A. 6:158-162.
 90. Hammerschlag, F., and R. G. Linderman. 1975. Effects of five acids that occur in pine needles on *Fusarium* chlamydospore germination in nonsterile soil. Phytopathology 65:1120-1124.
 91. Hammerschlag, R. S., and H. D. Sisler. 1973. Biochemical cytological and chemical aspects of toxicity to *Ustilago maydis* and *Saccharomyces cerevisiae*. Pestic. Biochem. Physiol. 3:42-54.
 92. Hanus, F. J., and E. O. Bennett. 1964. The effect of agar on the inhibitory activities of fatty amines, Antonie van Leeuwenhoek. J. Microbiol. Serol. 30:412-416.
 93. ———, J. G. Sands, and E. O. Bennett. 1967. Antibiotic activity in the presence of agar. Appl. Microbiol. 15:31-34.
 94. Harris, J. S., and H. I. Kahn. 1941. On the mode of action of the sulfonamides II, The specific antagonism between methionine and the sulfonamide in *Escherichia coli*. J. Pharmacol. 73:383-400.
 95. Henry, R. J. 1943. The mode of action of sulfonamides. Bacteriol. Rev. 7:175-262.
 96. Heuberger, J. W., and J. G. Horsfall. 1942. Reduction in fungicidal value of copper compounds by organic materials. Phytopathology 32:370-378.
 97. Hickey, R. J. 1953. The antagonism between the antifungal antibiotic, ascocin and some long-chain, unsaturated fatty acid. Arch. Biochem. Biophys. 46:331-336.
 98. Hill, C. H. 1952. Studies on the inhibition of growth of *Streptococcus faecalis* by sodium propionate. J. Biol. Chem. 199:329-332.
 99. ———. 1953. Interrelationship between thioctic acid, L-lyxoflavin, and riboflavin in *Streptococcus faecalis*. J. Bacteriol. 65:578-580.
 100. Hill, J. H., and E. F. Mann. 1942. Studies on the interference of certain substances of Biological importance with the action of sulfanilamide. J. Urol. 47:522-530.
 101. Hirai, T., A. Hirashima, T. Itoh, T. Takahashi, T. Shimomura, and Y. Hayashi. 1966. Inhibitory effect of blasticidin S on tobacco mosaic virus multiplication. Phytopathology 56:1236-1240.
 102. Hislop, E. C. 1966. The redistribution of fungicides on plants II, Solution of copper fungicides. Ann. Appl. Biol. 57:475-489.
 103. Hoffman, K., A. Bridgwater, and A. E. Axelrod. 1949. Furan and tetrahydrofuran derivatives X. The synthesis of the sulfonic acid analogs of oxybiotin and homooxybiotin. J. Am. Chem. Soc. 71:1253-1257.
 104. Hoogerheide, J. C. 1945. The germicidal properties of certain quarternary ammonium salts with special reference to cetyl-trimethyl-ammonium bromide. J. Bacteriol. 49:277-289.
 105. Hora, T. S., and R. Baker. 1974. Influence of a volatile inhibitor in natural or limed soil on fungal spore and seed germination. Soil Biol.

- Biochem. 6:257-261.
106. Horowitz, N. H., D. Bonner, and M. B. Houlihan. 1945. The utilization of choline analogues by cholineless mutants of *Neurospora*. J. Biol. Chem. 159:145-151.
 107. ———, and A. M. Srb. 1948. Growth inhibition of *Neurospora* by canavanine and its reversal. J. Biol. Chem. 174:371-378.
 108. Hutchinson, H. B., and A. C. Thaysen. 1918. The non-persistence of Bacteriotoxins in the soil. J. Agric. Sci. 9:43-62.
 109. Hsu, S. C., and J. L. Lockwood. 1971. Responses of fungal hyphae to soil fungistasis. Phytopathology 61:1355-1362.
 110. Ito, N., T. Aida, and Y. Koyama. 1966. Studies on the bacterial formation of a peptide antibiotic, colistin Part 1. On the enzymatic inactivation of colistin by *Bacillus colistinus*. Agric. Biol. Chem. 30:1112-1118.
 111. Ito, F., M. Aoki, M. Yamamoto, M. Yuasa, H. Mizobata, and K. Tone. 1958. The mode of action of cycloserine (cs). Med. J. Osaka Univ. 9:23-31.
 112. Iyer, R., and V. Iyer. 1960. Effect of agar on the inhibition of *Micrococcus pyogenes* var. *aureus* by chlortetracycline and other antibiotics. Antibiot. Chemother. 10:409-413.
 113. Jackson, R. M. 1957. Fungistasis as a factor in the rhizosphere phenomenon. Nature 180:96-97.
 114. ———. 1958. Some aspects of soil fungistasis. J. Gen. Microbiol. 19:390-401.
 115. ———. 1960. Soil fungistasis and the rhizosphere, in *The Ecology of Soil Fungi*, Parkinson, D., and J. S. Waid, Eds. Liverpool University Press, Liverpool, England. 168-176.
 116. Johns, C. K. 1948. Influence of organic matter on the germicidal efficiency of quarternary ammonium and hypochlorite compounds. Can. J. Res. Sect. F 26:91-104.
 117. Johnson, F. H. 1942. Mechanisms of p-aminobenzoic acid action and the parallel effects of ethyl carbamate (Urethane). Science 95:104-105.
 118. ———, H. B. Eyring, and W. Kearns. 1943. A quantitative theory of synergism and antagonism among diverse inhibitors, with special reference to sulfanilamide and urethane. Arch. Biochem. 3:1-31.
 119. Johnson, E. J., and A. R. Colmer. 1957. The relation of magnesium ion to the inhibition of the respiration of *Azotobacter vinelandii* by chlortetracycline, tetracycline, and 2, 4-dichlorophenoxyacetic acid. Antibiot. Chemother. 7:521-526.
 120. Johnson, D., and R. Subden. 1977. Polyene antibiotic affinities for the sterols of resistant and sensitive strains of *Neurospora crassa*. Can. J. Microbiol. 23:113-115.
 121. Jordan, V. W. L., B. Sneh, and B. P. Eddy. 1972. Influence of organic soil amendments on *Verticillium dahliae* and on the microbial composition of the strawberry rhizosphere. Ann. Appl. Biol. 70:139-148.
 122. Kaars Sijpesteijn, A., and G. J. M. van der Kerk. 1952. Investigations on organic fungicides VI. Histidine as an antagonist of tetramethylthiuram disulphide (T.M.T.D.) and related compounds. Antonie van Leeuwenhoek, J. Microbiol. Serol. 18:83-106.
 123. ———, and ———. 1954. The biochemical mode of action of bisdithiocarbamates and diisothiocyanates. Biochim. Biophys. Acta. 13:545-552.
 124. ———, and ———. 1954. Investigations on organic fungicides IX, The antagonistic action of certain imidazole derivatives and of 2-keto acids on the fungitoxicity of dimethyl-dithiocarbamates. Biochim. Biophys. Acta. 15:69-77.
 125. ———, M. J. Janssen, and H. M. Dekhuyzen. 1957. Effect of copper and chelating agents on growth inhibition of *Aspergillus niger* by 8-hydroxyquinoline and pyridine-N-oxide-2-thiol. Nature 180:505-506.
 126. Katznelson, H. 1940. Survival of *Azotabacter* in soil. Soil Sci. 49:21-35.
 127. ———. 1940. Survival of microorganisms introduced into soil. Soil Sci. 49:283-293.
 128. Keltch, A. K., L. A. Baker, M. E. Krahl, and G. H. A. Clowes. 1941. Anti-sulfapyridine and anti-sulfathiazole effect of local anesthetics derived from p-aminobenzoic acid. Proc. Soc. Exp. Biol. Med. 47:533-538.
 129. Kirk, J. M. 1960. The mode of action of actinomycin D. Biochim. Biophys. Acta. 42:167-169.
 130. Kirkwood, S., and P. H. Phillips. 1946. The antiinositol effect of γ -hexachlorocyclohexane. J. Biol. Chem. 163:251-254.
 131. Klein, D. A., and L. E. Casida, Jr. 1967. *Escherichia coli* die-out from normal soil as related to nutrient availability and the indigenous microflora. Can. J. Microbiol. 13:1461-1470.

132. Ko, W. H. 1966. Mechanism of soil fungistasis. Ph.D. thesis, Michigan State University, East Lansing.
133. ———, and F. K. Chow. 1977. Characteristics of bacteriostasis in natural soils. *J. Gen. Microbiol.* 102:295-298.
134. ———, and F. K. Hora. 1971. Fungitoxicity in certain Hawaiian soils. *Soil Sci.* 112:276-279.
135. ———, and ———. 1972. Identification of an Al iron as a soil fungitoxin. *Soil Sci.* 113:42-45.
136. ———, and ———. 1972. The nature of a volatile inhibitor from certain alkaline soils. *Phytopathology* 62:573-575.
137. ———, J. T. Kliejunas, and J. T. Shimooka. 1976. Effect of agar on inhibition of spore germination by chemicals. *Phytopathology* 66:363-366.
138. ———, and J. L. Lockwood. 1967. Soil Fungistasis: relation to fungal spore nutrition. *Phytopathology* 57:894-901.
139. Kohn, H. I., and J. S. Harris. 1943. On the mode of action of the sulfonamide III, purines, amino acids, peptones and pancreas as antagonists and potentiators of sulfonamides in *E. coli*. *J. Pharmacol.* 77:1-16.
140. Kojo, H., Y. Mine, and M. Nishida. 1977. Nocardicin A, A new monocyclic β -Lactam antibiotic IV, Factors influencing the in vitro activity of nocardicin A. *J. Antibiot.* 30:926-931.
141. Kondo, S., H. Yamamoto, H. Naganawa, H. Umezawa, and S. Mitsuhashi. 1972. Isolation and characterization of lividomycin A inactivated by *Pseudomonas aeruginosa* and *Escherichia coli* carrying R factor. *J. Antibiot.* 25:483-484.
142. Kovacs, A., and N. J. A. Cucchi. 1964. Influence of excreted substance from leaves on decomposition of zineb, a dithiocarbamate fungicide. *Nature* 204:1090.
143. Krüger, W. 1969. Untersuchungen über *Sphacelotheca reiliana* I, Die Beeinflussung der Sporenkeimung im Boden. *Phytopath. Z.* 64:201-212.
144. Kunin, C. M. 1964. Enhancement of antimicrobial activity of penicillins and other antibiotics in human serum by competitive serum binding inhibitors. *Proc. Soc. Exp. Biol. Med.* 177:69-73.
145. Kunkel, L. O. 1913. The influence of starch, peptone, and sugars on the toxicity of various nitrates to *Monilia sitophila* (Mont.) Sacc. *Bull. Torrey Bot. Club* 40:625-639.
146. ———. 1914. Physical and chemical factors influencing the toxicity of inorganic salts to *Monilia sitophila* (Mont.) Sacc. *Bull. Torrey Bot. Club.* 41:265-293.
147. Lampen, J. O., and P. M. Arnow. 1959. Significance of nystatin uptake for its antifungal action. *Proc. Soc. Exp. Biol. Med.* 101:792-797.
148. ———, ———, and R. S. Safferman. 1960. Mechanism of protection by sterols against polyene antibiotics. *J. Bacteriol.* 80:200-206.
149. Landy, M., and D. M. Dicken. 1943. Neutralization of sulfonamide inhibition of yeast growth by p-aminobenzoic acid. *Nature* 149:244.
150. ———, N. W. Larkum, and E. J. Oswald. 1943. In vitro sulfonamide studies with *Acetobacter suboxydans*, an organism requiring p-aminobenzoic acid as a growth essential. *J. Bacteriol.* 45:24-25.
151. ———, ———, ———, and F. Streightoff. 1943. Increased synthesis of p-aminobenzoic acid associated with the development of sulfonamide resistance in *Staphylococcus aureus*. *Science* 97:265-267.
152. Larsson, K., B. Noren, and G. Odham. 1975. Antimicrobial effect of simple lipids and the effect of pH and positive ions. *Antimicrob. Agents Chemother.* 8:733-736.
153. Lawrence, C. A. 1945. Effects of enzyme preparations upon penicillin I. A method for testing penicillin for sterility. *J. Bacteriol.* 49:47-56.
154. Lewis, J. A., and G. C. Papavizas. 1977. Effect of plant residues on chlamydospore germination of *Fusarium solani* f. sp. *phaseoli* and on *Fusarium* root rot of beans. *Phytopathology* 67:925-929.
155. Lilly, V. G., and L. H. Leonian. 1944. The anti-biotin effect of desthiobiotin. *Science* 99:205-206.
156. Linderman, R. G., and R. G. Gilbert. 1969. Stimulation of *Sclerotium rolfsii* in soil by volatile components of alfalfa hay. *Phytopathology* 59:1366-1372.
157. Lingappa, B. T., and J. L. Lockwood. 1961. The nature of the widespread soil fungistasis. *J. Gen. Microbiol.* 26:473-485.
158. Little, P. A., J. J. Oleson, and J. H. Williams. 1953. Factors influencing the sensitivity of protozoa to antibiotics. *Antibiot. Chemother.*

- 3:29-34.
159. Lloyd, A. B. 1969. Behaviour of streptomycetes in soil. *J. Gen. Microbiol.* 56:165-170.
 160. Lockwood, J. L. 1977. Fungistasis in soil. *Biol. Rev.* 52:1-43.
 161. Lockwood, J. S. 1938. Studies on the mechanism of the action of sulfanilamide IV. The effect of sulfanilamide in serum and blood on hemolytic streptococci in vitro. *J. Immunol.* 35:155-193.
 162. Loomis, T. A., R. S. Hubbard, and E. Neter. 1941. Inhibition of bacteriostatic action of sulfanilamide by yeast extracts. *Proc. Soc. Exp. Biol. Med.* 47:159-163.
 163. Loring, H. S., G. L. Ordway, and J. G. Pierce. 1948. A method of assay for cytidine and uridine by means of a pyrimidine-deficient strain of *Neurospora*. *J. Biol. Chem.* 176:1123-1130.
 164. Lukens, R. J. 1962. Studies on the chemistry of the fungitoxicity of Folcid. *Phytopathology.* 52:740.
 165. _____, and S. Rich. 1959. Cobalt pretreatment of yeast cells increases toxicity of captan. *Phytopathology* 49:228.
 166. _____, and H. D. Sisler. 1958. Chemical reaction involved in the fungitoxicity of captan. *Phytopathology* 58:235-244.
 167. Macleod, C. M. 1940. The inhibition of the bacteriostatic action of sulfonamide drugs by substances of animal and bacterial origin. *J. Exp. Med.* 72:217-232.
 168. Macleod, R. A., and E. E. Snell. 1947. Some mineral requirements of the lactic acid bacteria. *J. Biol. Chem.* 170:351-365.
 169. Maier, J., and E. Riley. 1942. Inhibition of antimalarial action of sulfonamides by p-aminobenzoic acid. *Proc. Soc. Exp. Biol. Med.* 50:152-154.
 170. Mankau, R. 1962. Soil fungistasis and nematophagus fungi. *Phytopathology* 52:611-615.
 171. Manten, A., H. L. Klöpping, and G. J. M. van der Kerk. 1951. Investigation on organic fungicides III. The influence of essential trace metals upon the fungitoxicity of tetramethylthiuram, disulphine and 8-hydroxyquinoline. *Antonie van Leeuwenhoek, J. Microbiol. Serol.* 17:58-68.
 172. Marini, F., P. Arnow, and J. O. Lampen. 1961. The effect of monovalent cations on the inhibition of yeast metabolism by nystatin. *J. Gen. Microbiol.* 24:51-62.
 173. Marsh, P. B., G. A. Greathouse, K. Bullenbacker, and M. L. Butler. 1944. Copper soaps as rot-proofing agents on fabrics. *Ind. Eng. Chem.* 36:176-181.
 174. Martin, G. J. 1951. *Biological antagonism*. Blakiston, New York. Chap. 13.
 175. _____, and C. V. Fisher. 1942. Antisulfonamide action of adenine, 6-aminopurine. *J. Biol. Chem.* 144:289-290.
 176. Mason, C. L., and D. Powell. 1947. A *Pythium* plate method for evaluating fungicides. *Phytopathology* 37:527-528.
 177. Mayfield, C. I., S. T. Williams, S. M. Ruddick, and H. L. Hatfield. 1972. Studies on the ecology of actinomycetes in soil IV. Observations on the form and growth of streptomycetes in soil. *Soil Biol. Biochem.* 4:79-91.
 178. McCallan, S. E. A., and R. H. Wellman. 1942. Fungicidal versus fungistatic. *Contrib. Boyce Thompson Inst.* 12:451-464.
 179. McCarty, M. 1941. Effect of p-aminobenzoic acid on therapeutic and toxic action of sulfa-pyridine. *Proc. Soc. Exp. Biol. Med.* 46:133-136.
 180. McIlwain, H. 1942. The biochemical specificity of sulfanilamide and of other antibacterial agents. *Science* 95:509-511.
 181. Meyer, M. C., and D. E. Guttman. 1968. The binding of drugs by plasma proteins. *J. Pharm. Sci.* 57:895-918.
 182. Miller, H. J. 1950. Relation of concentration of some organic substances to spore germination and dosage response. *Phytopathology* 40:326-332.
 183. Miller, J. K. 1941. The effect of para-aminobenzoic acid on the bacteriostatic action produced by sodium paranitrobenzoate on a strain of *Streptococcus viridans*. *J. Pharmacol.* 71:14-19.
 184. Miller, A. K., and L. Peters. 1945. Antagonism by spermine and spermidine of the antibacterial action of quinacrine and other drugs. *Arch. Biochem.* 6:281-286.
 185. Mircetich, S. M., and G. A. Zentmyer. 1969. Effect of carbon and nitrogen compounds on germination of chlamydo-spores of *Phytophthora cinnamomi* in soil. *Phytopathology* 59:1732-1735.
 186. Mitchell, H. K., and C. Niemann. 1947. The competitive inhibition of the metabolism of α -amino acids by their halogenated analogs. *J.*

- Am. Chem. Soc. 69:1232.
187. Müller, E. F., and K. Schwartz. 1941. The growth-promoting Substance H: an antagonist of sulfanilamides, with *Streptobacterium plantarum* (Orla-Jensen), growth of *Streptobacterium plantarum* in nutrient solutions of chemically exactly defined compounds. Ber. Deut. Chem. Ges. 74:1612-1616.
 188. Mora, J., and L. F. Bojabil. 1965. Antagonism of the D-alanine reversal of D-cycloserine action by L-alanine in *Mycobacterium acapulcensis*. Proc. Soc. Exp. Biol. Med. 119:49-52.
 189. Moulder, J. W., D. L. Novosel, and J. E. Officer. 1963. Inhibition of the growth of agents of the psittacosis group by D-cycloserine and its specific reversal by D-alanine. J. Bacteriol. 85: 707-711.
 190. Muir, R. D., V. J. Shamleffer, and L. R. Jones. 1942. Studies pertaining to the antibacterial activity of sulfathiazole and its methyl derivatives. J. Bacteriol. 44:95-110.
 191. Newton, B. A. 1953. Reversal of the antibacterial activity of polymyxin by divalent cation. Nature 172:160-161.
 192. Norman, A. W., R. A. Demel, B. de Kruyff, and L. L. M. van Deenen. 1972. Studies on the biological properties of polyene antibiotics. Evidence for the direct interaction of filipin with cholesterol. J. Biol. Chem. 247:1918-1929.
 193. Ohno, T., J. Awaya, and S. Omura. 1976. Inhibition of sporulation by cerulenin and its reversion by exogenous fatty acids in *Saccharomyces cerevisiae*. Antimicrob. Agents Chemother. 9:42-48.
 194. Ohta, N., K. Kakiki, and T. Misato. 1970. Studies on the mode of action of polyoxin D. Agric. Biol. Chem. 34:1224-1234.
 195. Okamoto, S., and Y. Suzuki, 1965. Chloramphenicol-, dihydrostreptomycin- and kanamycin-inactivating enzymes from multiple drug-resistant *Escherichia coli* carrying episome 'R'. Nature 208:1301-1303.
 196. Okanishi, M., S. Kondo, R. Utahara, and H. Unezawa. 1968. Phosphorylation and inactivation of aminoglycosidic antibiotics by *E. coli* carrying R factor. J. Antibiot. 21:13-21.
 197. Oku, H., and T. Nakanishi. 1966. Mode of action of an antibiotic ascoclitine, with reference to selective toxicity. Phytopathol. Z. 55: 1-14.
 198. Pache, W., and H. Zähler. 1969. Bindung von Antibiotica an Lipoprotein. Arch. Mikrobiol. 66:281-288.
 199. ———, and ———. 1969. Studies on the mechanism of action of boromycin. Arch. Mikrobiol. 67:156-165.
 200. Papavizas, G. C., and P. B. Adams. 1969. Survival of root-infecting fungi in soil XII. Germination and survival of endoconidia and chlamydospores of *Thielaviopsis basicola* in fallow soil and in soil adjacent to germinating bean seed. Phytopathology 59:371-378.
 201. ———, and M. F. Kovacs, Jr. 1972. Stimulation of spore germination of *Thielaviopsis basicola* by fatty acids from rhizosphere soil. Phytopathology 62:688-694.
 202. Park, D. 1955. Experimental studies on the ecology of fungi in soil. Trans. Br. Mycol. Soc. 38:130-142.
 203. Perault, R. 1945. La penicillinase-coli, sa presence dans les corps microbiens, ses proprietes, son mode d'action. C. R. Soc. Biol. 139: 617-618.
 204. Phillips, M. A. 1947. Assay of cation-active antiseptics. Nature 160:55.
 205. Poralla, K. 1975. Borrelidin, in *Antibiotics*, Vol. 3, Corcoran, J. W., and F. E. Hahn, Eds. Springer-Verlag, New York. 365-369.
 206. Pothman, P. J., and G. Slütgen. 1955. Der Einfluss von Isonicotin saurehydracid und seinem kupfer complex anf Atmung und Wachstum von Tuberkelbakterien. Z. Hyg. Infectiouskr. 141:359-362.
 207. Powelson, R. L., and S. S. Patil. 1963. Influence of oat and alfalfa residues on soil respiration, fungistasis, and survival of *Verticillium albo-atrum*. Phytopathology 53:1141.
 208. Pratt, D. 1953. Growth inhibiting action of copper for *Mycobacterium phlei*. J. Bacteriol. 65:157-159.
 209. Price, K. E., A. Zolli, Jr., J. C. Atkinson, and H. G. Luther. 1957. Antibiotic inhibitors II. Studies on the inhibitory action of selected divalent cations for oxytetracycline. Antibiot. Chemother. 7:689-702.
 210. Quisno, R. A., I. W. Gibby, and M. J. Foter. 1946. The effect of agar upon the germicidal efficiency of the quaternary ammonium salts. J. Am. Pharm. Assoc. 35:317-319.
 211. Raa, J., and J. Goksoyr. 1966. Substrate dependent reversibility of inhibition by β -thujaplicin of glucose and acetate respiration in

- Saccharomyces cerevisiae*. *Physiol. Plant.* 19: 840-847.
212. Ragsdale, N. N. 1975. Specific effect of triarimol on sterol biosynthesis in *Ustilago maydis*. *Biochim. Biophys. Acta.* 380:81-96.
 213. Rao, N. V., E. H. Spaulding, R. R. Tyson, L. Zulrchi, and M. J. Harris. 1955. Interference with oxytetracycline activity by lactobacillus concentrates. *Bacteriol. Proc.* 82.
 214. Richard, A. J., and E. R. Garrett. 1974. Kinetics and mechanisms of drug action on microorganisms XXI. Effect of quinacrine on *Escherichia coli* and its possible complexation with components of nutrient growth medium. *J. Pharm. Sci.* 63:894-898.
 215. Richardson, L. T. 1966. Reversal of fungitoxicity of thiram by seed and root exudate. *Can. J. Bot.* 44:111-112.
 216. ———, and G. D. Thorn. 1961. The interaction of thiram and spores of *Glomerella cingulata* Spauld. & Schrenk. *Can. J. Bot.* 39: 531-540.
 217. Ringel, S. M., and E. S. Beneke. 1956. The influence of certain sugars on the antifungal activity of sodium pyridinethione. *Mycologia* 48:329-336.
 218. Robbins, W. J., and I. McVeigh. 1946. Effect of hydroxyproline on *Trichophyton mentagrophytes* and other fungi. *Am. J. Bot.* 33:638-647.
 219. Rolinson, G. N., and R. Sutherland. 1965. The binding of antibiotics to serum proteins. *Br. J. Pharmacol.* 25:638-650.
 220. Russell, E. J., and H. B. Hutchinson. 1909. The effect of partial sterilization of soil on the production of plant food. *J. Agric. Res.* 3:111-144.
 221. Saleh, S. M., R. F. Harris, and O. N. Allen. 1970. Fate of *Bacillus thuringiensis* in soil: effect of soil pH and organic amendment, *Can. J. Microbiol.* 16:677-680.
 222. Sands, J. G., L. A. Goers, and E. O. Bennett. 1963. The effect of agar on the inhibitory activity of phenols. *Antonie van Leeuwenhoek, J. Microbiol. Serol.* 29:386-392.
 223. Santi, R., and T. Berti. 1950. Fernomeni di interferenza tra elettroliti e antibiotici II, Aureomicina. *Arch. Int. Pharmacodyn.* 82: 63-66.
 224. Sarett, H. P., and V. H. Cheldelin. 1944. Inhibition of utilization of thiamine and diphosphothiamine for growth of microorganisms. *J. Biol. Chem.* 156:91-100.
 225. Saz, A. K., and L. M. Martinez. 1956. Enzymatic basis of resistance to aureomycin I. Difference between flavoprotein nitro reductase of sensitive and resistant *Escherichia coli*. *J. Biol. Chem.* 223:285-292.
 226. ———, and R. B. Slie. 1953. Manganese reversal of aureomycin inhibition of cell-free nitroreductase. *J. Am. Chem. Soc.* 75:4624-4627.
 227. ———, and ———. 1954. Reversal of aureomycin inhibition of bacterial cell-free nitroreductase by manganese. *J. Biol. Chem.* 210: 407-412.
 228. Schade, A. L. 1949. Cobalt and bacterial growth, with special reference to *Protein vulgaris*. *J. Bacteriol.* 58:811-822.
 229. Schneiersen, S. S., D. Amsterdam, and M. L. Littman. 1958. Inactivation of amphotericin B, chlorquinaldol, gentian violet and nystatin by bile salts. *Proc. Soc. Exp. Biol. Med.* 99: 241-244.
 230. ———, and ———. 1958. Effect of bile salts upon the activity of antibiotics. *Nature* 182: 56-57.
 231. Schreiber, L. R., and R. J. Green, Jr. 1963. Effect of root exudates on germination of conidia and microsclerotia of *Verticillium albo-atrum* inhibited by the soil fungistatic principle. *Phytopathology* 53:260-264.
 232. Schroth, M. N., and F. F. Hendrix, Jr. 1962. Influence of nonsusceptible plants on the survival of *Fusarium solani* f. *phaseoli* in soil. *Phytopathology* 52:906-909.
 233. ———, and W. C. Snyder. 1961. Effect of host exudates on chlamyospore germination of the bean root rot fungus, *Fusarium solani* f. *phaseoli*. *Phytopathology* 51:389-393.
 234. ———, T. A. Toussoun, and W. C. Snyder. 1963. Effect of certain constituents of bean exudate on germination of chlamyospores of *Fusarium solani* f. *phaseoli* in soil. *Phytopathology* 53:809-812.
 235. Schüepp, H., and R. J. Green, Jr. 1968. Indirect assay methods to investigate soil fungistasis with special consideration of soil-pH. *Phytopathology, Z.* 61:1-28.
 236. Seeler, A. O., O. Graessule, and E. D. Dusenbery. 1943. The effect of para-aminobenzoic acid on the chemotherapeutic activity of the sulfonamides in lymphogranuloma venereum

- and in duck malaria. *J. Bacteriol.* 45:205-209.
237. Sevag, M. G., R. A. Richardson, and J. Henry. 1945. Studies on the action of sulfonamides on the respiration and growth of bacteria. Factors controlling the inhibition by sulfonamides of carboxylase III. Antagonism between neopeptone and serum proteins, and sulfonamides. *J. Bacteriol.* 49:79-84.
238. _____, and M. Shelburne. 1942. The respiration of *Streptococcus pyogenes* and pneumococcus Type I, III. Bearing of respiration on existing theories of the mechanisms of the action of the chemotherapeutic agents. *J. Bacteriol.* 43:447-462.
239. Shigeura, H. T. 1963. 6-Azauracil inhibition of *Escherichia coli* B and its reversal by hadacidin. *Arch. Biochem. Biophys.* 100:472-477.
240. Shockman, G. D. 1959. Reversal of cycloserine inhibition by D-alanine. *Proc. Soc. Exp. Biol. Med.* 101:693-695.
241. Shrift, A. 1954. Sulfur-selenium antagonism I. Antimetabolite action on selenium on the growth of *Chlorella vulgaris*. *Am. J. Bot.* 41:223-230.
242. Siegel, M. R. 1971. Reaction of the fungicide folpet (N-trichloromethyl-thiophthalimide) with a thiol protein. *Pestic. Biochem. Physiol.* 1:225-233.
243. _____. 1971. Reactions of the fungicide folpet (N-trichloromethyl-thiophthalimide) with a nonthiol protein. *Pestic. Biochem. Physiol.* 1:234-240.
244. Silverman, M. 1948. Metal antagonism of the antibacterial action of atabrine and other drugs. *Arch. Biochem.* 19:193-198.
245. _____, and E. A. Evans, Jr. 1944. The effects of spermine, spermidine and other polyamines on the growth inhibition of *Escherichia coli* by atabrine. *J. Biol. Chem.* 154:521-534.
246. Smith, G. N., C. S. Worrel, and B. L. Lilligren. 1949. The enzymatic hydrolysis of chloramphenicol (chloromycetin). *Science* 110:297-298.
247. Smith, S. N., and W. C. Snyder. 1972. Germination of *Fusarium oxysporum* chlamydospores in soils favorable and unfavorable to wilt establishment. *Phytopathology* 62:273-277.
248. Sneh, B., B. F. Holdway, G. R. Hooper, and J. L. Lockwood. 1976. Germination-lysis as a mechanism for biological control of *Thielaviopsis basicola* pathogenic on soybean. *Can. J. Bot.* 54:1499-1508.
249. Snell, E. E. 1941. A specific growth inhibition reversed by pantothenic acid. *J. Biol. Chem.* 139:975-976.
250. _____, and H. K. Mitchell. 1942. Some sulfanilamide antagonists as growth factors for lactic acid bacteria. *Arch. Biochem.* 1:93-101.
251. Snow, D., and P. S. Watts. 1945. The effect of sulfanilamide and other bacteriostatic drugs on the growth of moulds. *Ann. Appl. Biol.* 32:102-112.
252. Soncin, E. 1953. Fenomeni di interferenza tra elettroliti e antibiotici III. Ione magnesio e aureomicina terramicina, chloranfenicolo. *Arch. Int. Pharmacodyn.* 94:346-352.
253. Stachiewicz, E., and J. H. Quastel. 1963. Amino acid transport in yeast and effect on nystatin. *Can. J. Biochem. Physiol.* 41:397-407.
254. Stanghellini, M. E., and T. J. Burr. 1973. Germination in vivo of *Pythium aphanidermatum* oospores and sporangia. *Phytopathology* 63:1493-1496.
255. _____, and J. G. Hancock. 1971. The sporangium of *Pythium ultimum* as a survival structure in soil. *Phytopathology* 61:157-164.
256. Stewart, G. T. 1956. Laboratory and clinical studies with nystatin in post-antibiotic mycotic infections. *Br. Med. J.* 1:658-660.
257. Stover, R. H. 1958. Studies on *Fusarium* wilt of bananas III. Influence of soil fungitoxins on behavior of *F. oxysporum* f. *cubense* in soil extracts and diffusates. *Can. J. Bot.* 36:439-453.
258. Stoves, J. L. 1954. Chemotherapy, and selective toxicity 3, chelation of trace metal. *Manuf. Chem.* 25:148-150.
259. Strauss, E., J. H. Dingle, and M. Finland. 1941. Studies on the mechanism of sulfonamide bacteriostasis, inhibition and resistance. Experiments with *E. coli* in a synthetic medium. *J. Immunol.* 43:313-329.
260. Tatum, E. L., and G. W. Beadle. 1942. Genetic control of biochemical reactions in *Neurospora*, an "aminobenzoicless" mutant. *Proc. Nat. Acad. Sci. U.S.A.* 28:234-243.
261. Teply, L. J., A. E. Axelrod, and C. A. Elvehjem. 1943. Sulfapyridine bacteriostasis of *Lactobacillus arabinosus* and its counteraction. *J. Pharmacol.* 77:207-214.

262. Thomas, G. W., and E. S. Cook. 1947. The action of phenylmercuric nitrate IV. The ability of sulfhydryl compounds to protect against the germicidal action of basic phenylmercuric nitrate. *J. Bacteriol.* 54:527-533.
263. Thorn, G. D., and L. T. Richardson. 1962. Exudate produced by *Glomerella cingulata* spores in the presence of copper and dithiocarbamate ions. *Can. J. Bot.* 40:25-33.
264. Tompsett, T., S. Shultz, and W. McDermott. 1947. The relations of protein binding to the pharmacology and antibacterial activity of penicillins X, G, dihydro F, and K. *J. Bacteriol.* 53:581-595.
265. Toussoun, T. A., W. Menzinger, and R. S. Smith, Jr. 1969. Role of conifer litter in ecology of *Fusarium*: stimulation of germination in soil. *Phytopathology* 59:1396-1399.
266. ———, Z. A. Patrick, and W. C. Snyder. 1963. Influence of crop residue decomposition products on the germination of *Fusarium solani* f. *phaseoli* chlamydospores in soil. *Nature* 197:1314-1316.
267. Trace, J. C., and G. T. Edds. 1955. The influence of cobalt on the action of antibiotics. *Am. J. Vet. Res.* 15:639-642.
268. Tsao, P. H. 1969. Studies on saprophytic behavior of *Phytophthora parasitica* in soil. *Proc. 1st Int. Citrus Symp.* 3:1221-1230.
269. ———, and B. T. Hawthorne. 1970. Soil fungistasis, soil amendments, lysis and biological control of *Thielaviopsis basicola*. *Proc. 7th Int. Congr. Plant Protect.* 534-535.
270. Ungar, J. 1943. Effect of p-aminobenzoic acid on defective cultures of bacteria. *Nature* 152:22.
271. Vaartaja, O. 1974. Inhibition of *Pythium ultimum* in molecular fraction from gel filtration of soil extracts. *Can. J. Microbiol.* 20:1273-1280.
272. ———. 1977. Responses of *Pythium ultimum* and other fungi to a soil extract containing an inhibitor with low molecular weight. *Phytopathology* 76:67-71.
273. ———, and V. P. Agnihotri. 1967. Inhibition of *Pythium* and *Thanatephorus* (*Rhizoctonia*) by leachates from a nursery soil. *Phytopath.* Z. 60:63-72.
274. ———, and ———. 1969. Interaction of nutrients and four antifungal antibiotics in their effects on *Pythium* species in vitro and in soil. *Plant Soil* 30:49-61.
275. Veins, M. A. 1969. Streptomycin inhibition of protein synthesis in peas reversed by divalent cations. *Nature* 221:1147-1148.
276. Vicklund, R. E., M. Manowitz, and V. J. Bagdon. 1954. Mechanism of action of copper 8-quinolinolate. *Mycologia* 46:133-142.
277. Volcani, B. E., and E. E. Snell. 1948. The effects of canavanine, arginine and related compounds on the growth of bacteria. *J. Biol. Chem.* 174:893-902.
278. Wakazawa, T., and M. Abe. The effect of metallic salt on agar diffusion assay of kanamycin. *J. Antibiot.* 16:109-110.
279. Walton, R. B., and E. L. Rickes. 1962. Reversal of the antibiotic, bacillin, by N-acetylglucosamine. *J. Bacteriol.* 84:1148-1151.
280. Wang, C. H., T. E. King, V. H. Cheldelin, and B. E. Christensen. 1951. Methionine reversal of 2-chloro-4-aminobenzoic acid inhibition in *Escherichia coli*. *J. Biol. Chem.* 188:753-758.
281. Waterman, N., L. Scharfenberger, and M. H. Raff. 1974. Rate of binding of antibiotics to canine serum protein. *Antimicrob. Agents Chemother.* 5:294-295.
282. Weber, M. M. and S. C. Kinsky. 1965. Effect of cholesterol on the sensitivity of *Mycoplasma laidlawii* to the polyene antibiotic filipin. *J. Bacteriol.* 89:306-312.
283. Weed, R. M., S. E. A. McCallan, and L. P. Miller. 1953. Factors associated with the fungitoxicity of ferbam and nabam. *Contrib. Boyce Thompson Inst.* 17:299-315.
284. Weinberg, E. D. 1955. The effect of Mn⁺⁺ and antimicrobial drugs on sporulation of *Bacillus subtilis* in nutrient broth. *J. Bacteriol.* 70:289-296.
285. ———. 1954. The reversal of the toxicity of oxytetracycline by multivalent cation. *J. Infect. Dis.* 95:291-301.
286. ———. 1957. The mutual effects of antimicrobial compounds and metallic cations. *Bacteriol. Rev.* 21:46-68.
287. ———. 1957. Suppression of the antibacterial activity in vitro of novobiocin by chelating agents and by divalent cation. *Antibiot. Annu.*, 1956-1957. 1056-1062.
288. ———, E. A. Cook, and C. A. Wisner. 1956. The mutual effects of Co⁺⁺ and α -picolinic acid HCl on bacterial growth. *Bacteriol. Proc.* 42-43.
289. Weissman, G. S., and S. F. Trelease. 1955.

- Influence of sulfur on the toxicity of selenium to *Aspergillus*. Am. J. Bot. 42:489-495.
290. Weltzien, H. C. 1963. Untersuchungen über die Ursachen der Keimhemmung von Pilzsporen in Boden. Zentralbl. Bakteriol. Parasitenk., Abt. II. 116:131-170.
291. ———. 1966. Die Bedeutung der Bodenfungistasis für den Gerstenhartbrand *Ustilago hordei* (Pers.) Lagerh. Angew. Bot. 39:165-172.
292. West, B., and F. T. Wolf. 1955. The mechanism of action of the fungicide, 2-hepta-decyl-2-imidazoline. J. Gen. Microbiol. 12:396-401.
293. Wiedling, S. 1941. p-Aminobenzoic acid, an essential metabolite for autotrophic organisms. Science 94:389.
294. Williams, S. T., and C. I. Mayfield. 1971. Studies on the ecology of actinomycetes in soil III. The behavior of neutrophilic streptomycetes in acid soil. Soil Biol. Biochem. 3:197-208.
295. Woods, D. D. 1940. The relation of p-aminobenzoic acid to the mechanism of the action of sulfanilamide. Br. J. Pathol. 21:74-90.
296. ———, and P. Fildes. 1940. The anti-sulfanilamide activity (*in vitro*) of p-aminobenzoic acid and related compounds. J. Soc. Chem. Ind. 59:133-134.
297. Woolley, D. W. 1946. Reversal of the action of phenylpantothenone by certain amino acids. J. Biol. Chem. 163:481-486.
298. ———. 1944. Some biological effects produced by benzimidazole and their reversal by purines. J. Biol. Chem. 152:225-232.
299. ———. 1945. Observation of antimicrobial action of 2, 3-dichloro-1, 4-naphthoquinone, and its reversal by vitamin K. Proc. Soc. Exp. Biol. Med. 60:225-228.
300. ———. 1952. A study of antimetabolites. Wiley, New York, 1952. Chap. 6.
301. ———, and E. Shaw. 1951. Some imidazo-1, 2, 3-triazines and their biological relationship to the purines. J. Biol. Chem. 189:401-410.
302. Wyss, O. 1941. The nature of sulfanilamide inhibition. Proc. Soc. Exp. Biol. Med. 48:122-126.
303. ———, K. K. Grubaugh, and F. C. Schmelkes. 1942. Non-specificity of sulfonamides. Proc. Exp. Biol. Med. 49:618-621.
304. Yagisawa, M., H. Naganawa, S. Kondo, T. Takeuchi, and H. Umezawa. 1972. 6'-N-acetylation of 3', 4'-dideoxykanamycin B by an enzyme in a resistant strain of *Pseudomonas aeruginosa*. J. Antibiot. 25:495-496.
305. ———, H. Yamamoto, H. Naganawa, S. Kondo, T. Takeuchi, and H. Umezawa. 1972. A new enzyme in *Escherichia coli* carrying R-factor phosphorylating 3'-hydroxyl of butirasin A, kanamycin, neamine and ribostamycin. J. Antibiot. 25:748-750.
306. Yee, R. B., S. F. Pan, and H. M. Gezon. 1958. Studies on the metabolism of *Shigella* III. The inhibition of the oxidation of glutamate by aureomycin. J. Bacteriol. 75:56-62.
307. Zentmyer, G. A. 1944. Inhibition of metal catalysis as a fungistatic mechanism. Science 100:294-295.
308. ———, and S. Rich. 1956. Reversal of fungitoxicity of 8-quinolinol and copper 8-quinolinolate by other chelators. Phytopathology 46:33.
309. ———, ———, and J. G. Horsfall. 1960. Reversal of fungitoxicity of 8-quinolinol by amino acids and other chelators. Phytopathology 50:421-424.
310. Zygmunt, W. A. 1962. Reversal of D-cycloserine inhibition of bacterial growth by alanine. J. Bacteriol. 84:154-156.

